

106 W. Lake Street – Contributing



ARC 02-02 – window replacement, addition of a front bay window/porch and addition of an exterior rear staircase.

ARC 06-12 – construction of a new noncontributing garage

Located at 106 W. Lake Street is a two-story, brick, rectangular American Foursquare dwelling with Shingle and Queen Anne influence, built ca. 1890. The house has a hipped roof of wood shingles, an interior brick chimney and a continuous concrete and cobblestone foundation. This dwelling was under renovation in 2004 and a new, two-story, wood porch was added during this process. The main entrance has new double doors of multi-light glass and wood design. Windows are ca. 2004, rectangular one-over-one double hung wood sash also added in 2004. Above the windows are brick jack arches and rock-faced stone sills beneath. On the central bay of the upper façade is an added bay with a glass and wood door flanked by one-over-one double hung vinyl sash windows which lead to the second floor porch. At the roofline are gable roof dormers with one-over-one double hung wood sash windows and exteriors of wood shingles. The windows are recessed within arched openings.

114 W. Lake Street – Contributing



ARC 02-18 – replacement of kitchen windows/sliding glass door as well as construction of a rear porch addition

This is a two-story asymmetrical Queen Anne style dwelling with Italianate influence, built in 1891 for the Jerome Kingsley family. The house has a brick foundation, an exterior of weatherboard siding, an interior brick chimney and a hipped roof of asphalt shingles. On the main (S) façade is a rebuilt shed roof porch and attached gazebo with ca. 1990, square posts. The main entrance retains its original double doors of arched, single-light and raised wood panel design. Windows are original, rectangular, one-over-one double hung wood sash. On the main façade is a two-story, polygonal bay which has fixed single-lights on the central bay with stained glass and transoms. The windows have wood cornices and fluted wood surrounds. The chamfered corner bays have spandrels between the two windows with arched panels and pellet moldings. At the eaves are paired modillion brackets with drop pendants. At the roofline is a widow's walk with a balustrade of milled panels. At the rear is an original, one-story porch with ca. 1990, wood posts and railings.



Adjacent to the house is a ca. 1990, frame garage with an exterior of weatherboard siding, a projecting, three-sided, hipped roof entry over a glass and wood pedestrian door, an eight-light and twenty-four wood panel overhead track door and a widow's walk at the apex of the roof.
Noncontributing

118 W. Lake Street – Contributing



Located at 118 W. Lake Street is a one- and one-half story. brick and stucco side-gabled Craftsman dwelling built ca. 1920. The house has a continuous concrete foundation, an original stucco exterior and a side gable roof of asphalt shingles. On the main (S) façade is a full-width, shed roof with tapered stucco columns and piers, arched openings and a closed brick and stucco covered railing. The main entrance retains its original, Craftsman-style glass and wood door. Windows on the first floor of the main façade are one-over-one wood double hung wood sash windows with diamond light upper sash panels. Other windows are original rectangular, one-over-one double hung wood sash. At the eaves are knee brace brackets. At the roofline on the main façade is a gable roof dormer with a wood shingle exterior and a triple set of one-over-one double hung wood sash windows. The gable fields on the side facades have wood shingle exteriors. On the rear façade is a ca. 1980, one-story stucco wing.

Located adjacent to the dwelling is a ca. 2000 garage. **Noncontributing**

121 W. Lake Street – Contributing



ARC 03-03 – two and one half (2 ½) story rear addition

This is a two- and one-half-story, frame gable front Folk Victorian dwelling built in 1889. The dwelling has a cross gable roof, an exterior of weatherboard siding, a continuous brick foundation and an interior brick chimney. On the main (N) elevation is a full-width, hipped roof porch with milled posts, railing, frieze, brackets and dentils at the cornice. The main entrance has two-light glass and wood panel double doors with a rectangular single-light transom. On the main façade is a large, single-light window with a rectangular, single-light transom. Other windows in the dwelling are one-over-one double hung wood sash. Most windows are set within wood frames with pilasters, corner blocks and decorative cornices with wood dentils including a louvered attic vent in the gable field. The house originally had a one-story rear wing which has been replaced by a ca. 1970, large, two-story addition that is in keeping with its character. On the east elevation, the house has two, original, projecting gable bays with chamfered corners. Also on this elevation is a small shed roof porch with milled posts and bracketed milled frieze. The entrance leading to the porch has paired, two-light, glass and wood paneled doors and a rectangular single-light transom, identical to the front.



To the rear is a ca. 1950, frame, two bay garage with an exterior of weatherboard siding, a side gable roof of asphalt shingles and two, original two-light and eight wood panel overhead track doors. **Noncontributing**

125 W. Lake Street – Contributing



ARC 07-12 – construction of a two-story rear addition (not constructed) as well as a new detached garage (constructed in 2012)

Located at 125 Lake Street is a two-story, frame, gabled ell Folk dwelling built in 1886. The dwelling has a cross gable roof of asphalt shingles, a continuous brick foundation, an exterior of weatherboard siding, an original interior brick chimney and a post-1950, exterior brick chimney. One the east elevation is a reconstructed ca. 1945, flat roof porch with replacement milled wood posts and railings. Windows are original, one-over-one and two-over-two double hung wood sash. The main entrance has a two-light and wood panel door with a wood surround with a simple cornice. In the gable fields are decorative wood cutouts with a central sunburst pattern. The dwelling has an original, single-story shed roof rear wing which has been reconstructed numerous times over the years.



To the rear of the dwelling is a ca. 1970, single-bay frame garage with a hipped roof, an exterior of weatherboard and a metal overhead track door. This garage was demolished in 2012. **Noncontributing**



126 W. Lake Street – Contributing



ARC 03-01 – extend roof over side entryway

This is a two-story rectangular American Foursquare dwelling built ca. 1910. The house has a continuous rock- face concrete block foundation, a hipped roof of asphalt shingles, an interior brick chimney and exterior of weatherboard siding. On the main (S) façade is a full-width, shed roof porch with original, Tuscan wood columns on rock-faced concrete piers and a railing with square balusters. The main entrance retains its original single-light glass and wood door. Windows are original, one-over-one rectangular double hung wood sash. On the first floor of the east bay is a two-light fixed glass and wood window. Windows on the first floor have frame cornices. Replacing an original single-story wing on the rear façade is a ca. 1980, two-story addition. At the roofline on the main façade is a hipped roof dormer with paired, single-light fixed glass and wood windows. On the east façade is a bay window with three, one-over-one double hung wood sash windows.

Located to the rear of the dwelling is a ca. 1990, single-bay garage with a hipped roof and a metal panel overhead track door.
Noncontributing



130 W. Lake Street – Contributing



Located at 130 W. Lake Street is a two-story asymmetrical Queen Anne style dwelling built in 1890. The house has a continuous brick foundation, a hipped roof of asphalt shingles and exterior of weatherboard siding. On the main (S) façade is a ca. 1960, shed roof entry porch with square wood posts and a railing with square balusters. The main entrance retains its original, five-panel double doors with its original double wood screen doors above which is a multi-light rectangular transom. On the east façade is a secondary entrance with an original glass and wood panel door. Windows are original, rectangular, one-over-one double hung wood sash. The central window on the lower and upper facade of the projecting bay has a fixed light and border glass transom. All windows in the projecting bay have rectangular wood spandrels with vertical and diagonal boards. In the gable fields are fishscale shingles and milled panels. At the eaves are vergeboard panels with an inset quatrefoil designs. On the rear façade two, two-story additions from 1989 and 1997 which have replaced an original single-story rear wing and ca. 1920s addition.

Adjacent to the house is a garage built in 1986. **Noncontributing**

135 W. Lake Street – Contributing



2004-2005 survey photo



updated 11/5/2012

ARC 12-01 – conservatory addition and extend wraparound porch

Located at 135 W. Lake Street is a two-and-one-half-story asymmetrical Queen Anne dwelling built ca. 1880. The house has a central, hipped roof with a front facing gable and a mansard roof in the northwest corner. The front facing gable has a large recessed panel and an exterior of decorative diamond and scalloped shingles within a recessed section is weatherboard and paired one-over-one double hung wood

sash windows. Above these in the half-story is a six-light square fixed attic window, above which is a triangular sunburst panel. On the main (N) and east elevations is a ca. 1910 wraparound porch with square wood columns, a milled wood railing and tongue and groove ceiling. The porch has a central pediment above the wide staircase. On the first floor of the main façade is a large, boxed window with a central single-light glass and wood window flanked by paired one-over-one double hung narrow windows. Above these is a three-light transom of stained glass. The window box has support brackets and raised wood panels. The main entrance has original, single-light glass and wood panel double doors. The house has a decorative cornice with drop pendants. On the west elevation is a bay window. A secondary entrance on this elevation has a multi-light glass and wood door. Over the entrance is a gable roof canopy. On the east elevation is a projecting gable bay with chamfered corners and decorative brackets with drop pendants. This elevation also has an entrance with multi-light glass and wood double doors that leads to the wraparound porch. The house has an interior brick chimney, brick foundation and an exterior of weatherboard. On the roof of the east elevation are two, rectangular skylights. Windows in the dwelling are original, one-over-one double hung wood sash with simple wood cornices.

To the rear of the house are two, frame garages; one built ca. 1950 which is two-story, single bay with a vinyl sided exterior gable wall dormer, four-light fixed windows and an original glass and wood panel overhead track door and the other built ca. 1995. **Both Noncontributing**



138 W. Lake Street – Noncontributing



Located at 138 W. Lake Street is a one- and one-half-story side-gabled Tudor Revival-influenced dwelling built ca. 1940. The house has a continuous foundation of rock-faced concrete block, an interior brick and an exterior wall brick chimney, an exterior of weatherboard siding and a gable roof with asphalt shingles. On the main (S) façade is a gable roof entry bay with an original, nine-over-one double hung rectangular wood sash window. Located on the roofline of the main façade is a gable dormer with two, nine-over-one double hung wood sash windows. On the roofline of the rear façade is a full-width shed dormer. On the east façade is an entrance with a single-light glass and wood door above which is a wood canopy supported by wood brackets.

Located to the rear of the dwelling is an original, frame garage with a gable roof, an exterior of weatherboard siding and overhead track door. **Noncontributing**



141 W. Lake Street – Contributing



This is a two-story asymmetrical Queen Anne style dwelling built ca. 1890. The house has a hipped roof of asphalt shingles, a brick foundation, an interior brick chimney and an exterior of weatherboard. On the main (N) elevation is a two-story projecting gable bay with chamfered corners on the second story. In the gable fields and below the second story windows are scalloped shingles. Adjacent to the projecting gable bay on the main façade is a gable roof entry porch with square wood posts and a milled wood railing slightly reconstructed ca. 1950 from its original 1890s appearance. The porch has canvas awnings and in the gable field is a decorative arched wood molding. The main entrance has two-light glass and wood double doors and a rectangular single-light transom. The first floor of the projecting gable bay on the main façade has a large single-light window with a rectangular transom flanked by one-over-one narrow double hung wood sash windows. Each of these windows has interior louvered wood shutters, as do most windows on the first floor. On the east elevation is an original, one-story polygonal bay with eight-light glass and wood windows and one-over-one double hung wood sash. Windows in the dwelling are one-over-one double hung wood sash.

Located to the rear of the dwelling is ca. 1920, single-bay, frame garage with a gable roof of asphalt shingle, a weatherboard exterior and an original twelve wood panel overhead track door. **Contributing**



142 W. Lake Street – Contributing



Located at this address is a two-story gabled ell Folk Victorian dwelling built ca. 1890. The house has a continuous brick foundation, a gable roof of asphalt shingles, an interior concrete block chimney and exterior of aluminum siding. On the main (S) façade is a shed roof entry porch with an original milled column, milled engaged columns, vergeboard brackets, drop pendants and a sawtooth valence. The main entrance retains its original, single-light and three wood panel door. On the main façade projecting bay is a Palladian window. Most of the remaining windows are original, one-over-one and two-over-two, rectangular double hung wood sash wood sash with wood corniced surrounds. On the east façade is a bay window with three, two-over-two double hung wood sash windows, eave brackets and sawtooth valences. Also on the east façade is a shed roof entry porch with original milled columns.

To the rear of the dwelling is a ca. 1970, frame garage. **Noncontributing**

145 W. Lake Street – Contributing



ARC 08-01 – construction of a new chimney on the east side of the house

Located at 145 W. Lake Street is a frame, one-and-one-half-story gabled ell Folk dwelling built ca. 1885 with Greek Revival influences. The house has a gabled ell form with a steeply pitched gable asphalt shingle roof, shiplap siding exterior, a rebuilt brick foundation, and an interior metal flue. Set within the ell of the main (N) elevation is a shed roof porch with chamfered wood posts and a new wood slat railing. The main entrance has a paneled wood door. On the main elevation is a large bay window with windows set in rounded corner frames. Windows are two-over-two wood sash. Other windows are one-over-one wood sash and three-over-one-vertical wood sash. Above the bay window on the 2nd floor are paired one-over-one windows also set with a rounded frame and with a gable hood. Decorative wood trim appears at the bottom tips of the projecting gable bay's eave. At the roofline of the main façade, above the porch is a tall, narrow, gable dormer with decorative wood brackets and a one-over-one window. On the rear of the W elevation is a shed roof dormer that appears to date to ca. 1960. This dormer is located on a later rear gable wing that has a weatherboard exterior.

To the rear of the dwelling is a newly built frame garage. **Noncontributing**



200 W. Lake Street – Contributing



Located at 200 W. Lake Street is a one- and one-half-story brick side-gabled Craftsman dwelling built ca. 1920. The house has a continuous poured concrete foundation, a roof of wood shingles, an interior brick chimney and exterior of stretcher bond brick veneer. On the main (S) façade is a partial-width gable roof porch with original square wood posts on tapered brick piers and a solid brick railing with a concrete cap. The porch was possibly reconstructed from a full-width porch sometime in the 1970s. The main entrance retains its original, multi-light glass and wood double doors. On the main façade are two window bays with large central fixed windows flanked by two-light casement windows. Overall the windows are original one-over-one double hung wood sash design. On the west façade are two diamond light windows. The gable roof dormer on the main façade has ca. 1980, sliding track aluminum windows. The upper façade has an exterior of pebble-dash stucco and half-timbering. At the eaves are knee brace brackets.

Located to the rear of the dwelling is an original, single-bay, brick garage with a front gable roof of wood shingles, a ca. 1980 overhead metal panel track door and stucco and knee brace brackets in the gable field.

Contributing



201 W. Lake Street – Contributing



This is a two-story gabled ell Folk Victorian dwelling built in 1887. The house has a cross gable roof of asphalt shingles, an exterior of weatherboard siding, a continuous brick foundation and an interior brick chimney. On the east elevation of the central projecting gable bay is the main entrance, shed roof porch with chamfered wood posts, a milled wood railing and milled wood brackets. The main entrance has a two-light opaque glass and wood panel door. Windows in the dwelling are original, two-over-two wood sash with simple wood cornice surrounds. On the dwelling's east elevation is a one-story, hipped roof bay window with paired brackets at the cornice and paneled wooden bulkheads beneath supported by a concrete base. A second porch is located on the east elevation behind the bay window and is identical to the main entrance porch. In the northwest crook of the front gable bay is a small, hipped roof one-story bay with a narrow one-over-one wood sash window. On the main façade is a single-light fixed window with a single light transom with a simple wood cornice surround. Windows on the main façade have flanking wood shutters.

To the rear of the dwelling is a ca. 1920, single-bay, frame garage with a front gable roof of asphalt shingles, a weatherboard exterior and a ca. 1980 overhead metal panel track garage door. **Contributing**



208 W. Lake Street – Contributing



Located at 208 W. Lake Street is a two-story asymmetrical Queen Anne style dwelling built in 1891 as the residence for the Dell Loomis family. The house has a stucco-covered brick foundation, a hipped roof of asphalt shingles, exterior of weatherboard siding and a ca. 1950 exterior wall brick chimney on the west façade. On the main (S) and east façade is a ca. 1920, sun porch with an entrance with an eight-light and two-panel door and square wood columns on stone and concrete piers. Windows in the sun porch are fixed, four- and eight-light design. On the west façade is an original, hipped roof porch enclosed with screen panels, weatherboard siding, an original wood and screen door and square wood columns. Windows in the dwelling are original, one-over-one rectangular wood sash. The projecting bay on the main façade has a bay window on the first floor with a pent roof of scalloped and sawtooth wood shingles. The window has a fixed light with stained glass sidelights and transom. In the gable field of the main façade are scalloped wood shingles. At the southeast corner is a two-story tower with a pyramidal roof. The windows on both floors of the tower are also of fixed, single-light design with stained glass transoms and sidelights. The tower also features eave brackets, milled panels, and pellet molding. Between the projection bay and tower on the main façade are raised decorative panels with bull's eye corner blocks. The tower's roof has triangular decorative panels with the Masonic symbol. On the west façade is a ca. 1920, frame shed roof porch with square wood posts and screen panels.

To the northeast of the house is a ca. 1920 frame garage with an exterior of shiplap siding, original hinged glass and wood garage doors, a frame pedestrian door, four-light fixed glass and wood windows and exposed eave brackets. **Contributing**



209 W. Lake Street – Contributing



ARC 02-15 – demolition of existing garage and construction of a new four-car garage

Located at 209 W. Lake Street is a two-story gabled ell Folk dwelling built ca. 1884. It has an asphalt shingle roof, weatherboard exterior, brick foundation and an interior brick chimney. The dwelling has a large two-story gable wing at the rear which was added at a later date. This wing has a full-width shed roof porch on the main (N) elevation. The porch has square wood posts and railing. The main entrance is located on the N elevation of this wing and has a paneled wood door. Above it is a four-light transom. Windows in the original section of the dwelling are original one-over-one and 4/4 wood sash design. On the N elevation of the projection gable is a 25-light glass and wood windows on the 1st story. Windows in the later wing are six-over-six and six-over-nine wood sash. On the E elevation of the original section is a bay window with six-over-six wood sash windows with wood paneled bulkhead.

Located to the rear of the dwelling is a rebuilt or newly built frame garage. **Noncontributing**



213 W. Lake Street – Contributing



Located at 213 W. Lake Street is a two-story rectangular Queen Anne influenced Folk dwelling built ca. 1910. The house has a hipped roof of asphalt shingles with gable wall roof dormers with a single-light square attic window on the main (N), west and east elevations. The house has a continuous stone foundation, a weatherboard exterior, an interior brick chimney and an exterior brick chimney. On the main (N) elevation is a one-story, full-width, hipped roof porch with a central projecting pedimented gable over the entry and landing. The porch has tapered wood columns and a wood railing with ca. 2000, replacement simple square balusters. In front of the porch is a wooden landing with steps leading to both the east and west. The landing and steps have square wood posts and railing that match the porch. The main entrance retains its original, single-oval light glass and wood door with decorative wood detailing. Windows are original, one-over-one double hung wood sash design with simple wood cornices and wood surrounds on the first floor. On the first floor of the dwelling's east elevation is an original hipped roof bay window with three, original one-over-one-double hung wood sash windows and a wide wood cornice. On the east elevation is a small, hipped roof porch, a small portion of which is enclosed. This porch has square wood posts and wood railing. On the rear façade is an original inset porch with square wood posts and wood baluster railings.

Off the southwest corner of dwelling is an original pyramidal roof frame garage with exposed roof rafters at the eaves and a gable roof dormer on the main (N) elevation. The dormer has paired rectangular window openings with wooden hinged shutters. The garage has a ca. 1985, overhead track metal panel garage door. **Contributing**



216 W. Lake Street – Contributing



Located at 216 W. Lake Street is a two-story asymmetrical Queen Anne dwelling built in 1889 by the Levi Higley family. The wives of Levi Higley and Dell Loomis were sisters, Ellen and Elizabeth Hawley, and they built nearly identical houses next to each other on Lake Street. The house has a stucco-covered brick foundation, a hipped roof of asphalt shingles, an exterior of weatherboard siding and a prominent exterior wall brick chimney on the main (S) façade. At the southwest corner is a polygonal porch with ca. 1990, milled wood columns, a milled wood panel railing and eave brackets. The main entrance retains its original, six-panel wood door and six-light glass and wood sidelights. Windows are ca. 1990, one-over-one double hung vinyl sash. On the projecting bay of the main façade is a bay window with a pent roof of scalloped and square wood shingles. This bay window has original stained glass and is supported by wood brackets. Beneath the window is pellet molding. At the southeast corner of the dwelling is a two-story tower with a pyramidal roof of asphalt shingles and topped with a metal finial. On both floors of the tower are large fixed windows with stained glass transoms and sidelights. The windows have surrounds with pilasters and bulls eye corner blocks. The tower eave has milled brackets and at the roofline are triangular decorative panels. On the rear facade is a one-story addition built ca. 1945 and expanded several times over the decades most recently ca.1980 with an exterior wall brick chimney. In the gable fields on the main façade are scalloped wood shingles and eave vergeboard.

Located to the rear of the dwelling is a ca. 1990, two-story frame garage. **Noncontributing**

217 W. Lake Street – Contributing



Located at 217 W. Lake Street is a two-story Queen Anne-influenced Folk dwelling built ca. 1905. The house has a hipped roof of asphalt shingles, an original exterior of stucco and a continuous foundation of rock-faced concrete blocks. On the main (N) façade is a partial-width, gable roof porch with stucco-covered columns and a solid wood and stucco railing. The main entrance retains its original, fifteen-light glass and wood door flanked by a single-light fixed window with a corniced wood surround. Windows are original, rectangular, one-over-one double hung wood sash flanked by wood shutters on the main facade. In the gable fields are hexagonal wood shingles and square louvered metal attic vents. On the west façade is an entrance with an original single-light glass and wood door. On the east façade is an original projecting, two-story gable bay.

Located to the rear of the dwelling is a ca. 1970, frame garage with an original, thirty-two wood panel overhead track door. **Noncontributing**



226 W. Lake Street – Contributing



ARC 06-28 – remodel existing detached garage

Located at 226 W. Lake Street is a two- and one-half-story asymmetrical Queen Anne dwelling built ca. 1880. The house has a hipped roof of asphalt shingles, an exterior brick chimney, an interior brick chimney, a continuous brick foundation and an exterior of weatherboard siding with bands of diamond scalloping and wood shingles. At the southeast corner of the main façade is a two-story circular tower with a conical roof and topped with a milled wood finial. On the main (S) elevation is a partial-width, hipped roof porch with a circular corner supported by wood Tuscan columns, a solid wood railing with decorative shingles and milled sawtooth detailing at the cornice. The main entrance has a wood paneled door with a rectangular transom that has been enclosed with wood and is set within a wood frame with corner blocks and simple wood cornice. Windows in the dwelling are original, one-over-one double hung wood sash and three-over-one-vertical-light double hung wood sash with wooden frames with fluted pilasters, corner blocks and sawtooth dentils beneath the cornice. At the roofline of the main façade is a large gable roof dormer with a single-light fixed attic window. At the apex of the hipped roof is a small wood cutout widow's walk. On the east elevation on the first floor is a bay window with a bracketed cornice. On the rear of the dwelling is an original gable roof wing. On the east elevation of this wing is a one-story, enclosed porch constructed ca. 1990. The porch roof serves as an upper story patio/deck and has a wooden railing. At the roofline of the dwelling's east elevation is a gable roof dormer with three fixed single-light attic windows.

To the northwest of the dwelling is a single-bay, newly built/reconstructed, frame, garage with an exterior of vinyl siding, a gable roof of asphalt shingles and an original, eight-light and twelve-wood-panel overhead track garage door. **Noncontributing**



227 W. Lake Street – Contributing



ARC 02-10 – demolition of existing garage and construction of a new detached garage

ARC 06-33 – construction of a fireplace on the east façade

Located at 227 W. Lake Street is a two-story gabled ell Queen Anne style dwelling built ca. 1880. The house has a continuous foundation of stone, an exterior of aluminum siding, a hip and gable roof of asphalt shingles and an interior brick chimney. On the main (N) façade is a partial-width, hipped roof porch was reconstructed in 2002 with milled columns, railing and milled panels beneath the floor. The main entrance retains its original, single-light leaded glass and wood door. Adjacent to the main entrance is a single-light fixed window. Windows are original and ca. 1975, one-over-one double hung wood sash design. On the second floor of the main façade projecting bay is a Palladian window. On the first floor of the main façade projecting bay is a bay window with a central fixed window and flanking one-over-one double hung wood sash windows and supported by wood fan brackets. In the gable fields are scalloped wood shingles and in the west façade gable field is half-timbering. On the rear façade is a ca. 1975, two-story addition with gable roof wall dormers and a side entrance with a ca. 2002, shed roof porch supported by milled wood columns and wood railing. On the east façade is a ca. 1975, single-story lateral wing with a hipped roof of asphalt shingles and glass and wood double doors blanked by a glass and wood surround.

At the rear is a ca. 2002 two-story, gambrel roof garage with a lateral addition on its west façade.
Noncontributing



230 W. Lake Street – Contributing



Located at 230 W. Lake Street is a one-and-one-half-story side-gabled Craftsman dwelling built ca. 1925. The house has a roof of wood shingles, a brick veneer exterior and foundation, and an exterior brick chimney. On the main (S) elevation is a gable roof entry porch with exaggerated support beams, exposed rafters and square wood paneled columns that rest on an enclosed brick railing. The main entrance retains its original, six-light and two-wood panel door flanked by original, five-light glass and wood sidelights. Above the door are narrow vertical wood beams. Across the width of the main façade are two, four-sets of single-light casement windows with six-light transoms. On the roofline of the main façade is a gable roof dormer with a set of four, single-light casement windows with six-light transoms. The dormer has exposed brackets and roof rafters. On the east elevation is a bay window with similar windows as the main facade.

Located to the rear of the dwelling is a newly built/rebuilt frame garage. **Noncontributing**

233 W. Lake Street – Contributing



Located at this address is a one-and-one-half-story gabled ell Folk Victorian dwelling built ca. 1890. The house has a multi-gabled roof of asphalt shingles, a stucco covered concrete block foundation and an exterior of asbestos shingles. On the main (N) façade is a ca. 1960, shed roof entry porch with a square wood column. The main entrance retains its original four-panel wood door. Windows are original, one-over-one rectangular double hung wood sash with wood cornice surrounds and some have wood plank shutters.

A ca 1970, side gable garage with a side gable roof of asphalt shingles, an exterior of vertical board siding and an overhead metal panel track door is attached to the east façade of the house via a breezeway enclosed with an exterior of vertical board siding, a single-light and three-wood panel door and a one-over-one double hung wood sash window. **Noncontributing**



236 W. Lake Street – Contributing



2004-2005 survey photo



updated 4/21/2011

ARC 10-08 – front porch alterations

Located at 236 W. Lake Street is a two-story gabled ell Queen Anne-influenced Folk dwelling built ca. 1890 as the home of the August Bohmer family. The house has a roof of asphalt shingles, a continuous stone foundation, an interior and an exterior brick chimney and an exterior of vinyl siding. On the main (S) façade is a ca. 1960, partial-width shed roof porch with a ca. 1990, milled wood posts, milled wood railing and spindled frieze. The projecting gable bay on the main façade has chamfered corners on the first floor and a central, single-light picture window. The main entrance has a six-panel wood door. Windows are original, four-over-four double hung wood sash.

Located off the northwest corner of the dwelling is a ca. 1975, frame, double-bay garage with a side gable roof of asphalt shingles, a vinyl sided exterior and overhead track metal panel doors. The garage is connected to the rear of the dwelling via a covered walkway. **Noncontributing**



239 W. Lake Street – Contributing



Located at this address is a two-story cross-gabled Queen Anne style dwelling built ca. 1880. The house has a roof of asphalt shingles, an interior brick chimney and a continuous stone foundation. On the main (N) and east facades is a ca. 1970 wraparound porch with ca. 1990 rebuilt square wood columns and a railing with square wood balusters. At the northeast corner of the porch is a ca. 1970, octagonal gazebo with similar columns and railing. The main entrance retains its original single-light glass and wood panel door with an original rectangular single-light transom. On the east façade is a recessed secondary entrance with a single-light glass and wood panel door. Windows are ca. 1990, one-over-one rectangular double hung wood sash. The window on the first floor of the projecting bay is of original single-light fixed design with an original stained glass transom. In the gable fields are scalloped, sawtooth and hexagonal wood shingles. On the rear façade is an original single-story wing which has been modified with the addition of another story and another two-story continuation addition with a rear entrance.

Located to the rear of the dwelling is a ca. 1990, two-story, frame garage. **Noncontributing**



240 W. Lake Street – Contributing



ARC 03-13 – construction of a rear addition as well as demolition of the existing garage and construction of a new four-car garage

Located at 240 W. Lake Street is a two-story asymmetrical Queen Anne-influenced Folk dwelling built ca. 1910. The dwelling has a hipped asphalt shingle roof, an interior brick chimney, a continuous stone foundation and an exterior of weatherboard siding. On the main (S) and east elevations is a wraparound porch with Tuscan wood columns and a square baluster wood railing. The porch has a corner gable entrance with a pediment and decorative wood cutout. The main entrance retains its original etched glass door with wood panels. A large single-light window on the main façade has a large rectangular stained glass transom and interior wooden louvered shutters. On the east elevation, the dwelling has an original, two-story projecting polygonal bay with a hipped roof. On the roofline of the main façade is a hipped roof dormer with paired, two-light attic windows. A secondary entrance on the main façade leads from the polygonal bay to the porch and has an identical door as the main entrance. Windows are original, one-over-one double hung wood sash. At the eaves is a wide beltcourse of scalloped panels.

Located to the rear of the dwelling is a ca. 1960, frame garage. **Noncontributing**



245 W. Lake Street – Contributing



Located at 245 W. Lake Street is a two-story asymmetrical Queen Anne-influenced Folk dwelling built ca. 1890. The house has continuous stone foundation, a roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. On the main (N) façade is a ca. 1930, partial-width, shed roof porch with original milled columns, a spindled frieze, milled wood baluster railing, eave brackets and a spindled frieze. The main entrance has original, five-wood panel double doors with a rectangular single-light transom. Windows are original, one-over-one rectangular double hung wood sash. The northeast corner of the house is chamfered and has vergeboard molding on the second story overhang. On the east façade is an entry with a single-light glass and wood door with a rectangular glass and wood transom, an original milled column, spindled frieze and sawtooth valence. Between the windows on the second-story projecting bay are scalloped wood shingles. This shingle pattern is also repeated in the gable fields. The gable field on the main façade has paired attic windows. Located on the rear façade is a ca. 1970, large two-story addition which is in keeping with the line of the original design of the house.

At the rear is a ca. 1950 concrete block garage with a front gable roof of asphalt shingles and no exterior doors. **Noncontributing**

246 W. Lake Street – Contributing



ARC 04-14 – two-story rear addition

This is a one- and one-half story side-gabled Craftsman dwelling built ca. 1920. The house has a roof of asphalt shingles, an exterior of wood shingles, a continuous poured concrete foundation and an exterior brick chimney. On the main (S) elevation, is an original gable roof porch enclosed with screen panels and a four-vertical-light awning attic window in the gable field. The main entrance retains its original, six-light glass and wood door. The ridgeline of the roof has a triangular dormer being currently added, as well as, the roofline of the main façade has a small gable roof dormer with a triple set of three-vertical light attic windows. The porch, dwelling and dormers all have exposed roof rafters and knee brace brackets. Windows are original, five-over-one vertical-light double hung wood sash. Currently a one- and one-half-story addition is being added to the rear facade. On the east façade is a projecting shed roof bay with a triple set of five-over-one vertical-light double hung wood sash windows.

Located off the northeast corner of the dwelling is an original garage with a gable front asphalt shingle roof, wood shingle siding and knee brace brackets at the eaves. The garage has a ca. 1995, glass and metal panel overhead track garage door. **Contributing**



249 W. Lake Street – Contributing



ARC 06-38 – construction of a wraparound porch on the north and west elevations

Located at 249 W. Lake Street is a two-story, frame, gabled ell Folk dwelling with Queen Anne influences built ca. 1905. The house has a continuous foundation of rock-faced concrete block, a hipped roof of asphalt shingles, an interior brick chimney and exterior of aluminum siding. On the main (N) façade is a full-width, single-story shed roof porch with original, tapered Doric-motif square wood columns and a square wood baluster railing. The main entrance retains its original, single-light glass and wood door. Adjacent to the door is a fixed, single-light window. Windows are original, one-over-one rectangular double hung wood sash with simple wood cornices and surrounds. In the gable field on the main façade is a fixed, single-light attic window. On the west façade is an two-story polygonal bay.

Located to the rear of the dwelling is a ca. 1970, frame gable roof garage with a hollow core pedestrian door. **Noncontributing**

250 W. Lake Street – Contributing



This is a two-story originally rectangular Folk dwelling built ca. 1915 and appears to have been extensively remodeled, with a rebuilt porch and some new windows but the remodeling is in keeping with the house's original character. The house has a hipped roof of asphalt shingles with projecting gable bays, a central interior chimney with a stucco exterior and an original exterior of stucco. On the main (N) is an original shed roof porch with a central gable above the main entrance and a ca. 1970, wraparound section on the west elevation. The porch has replacement Tuscan columns, a ca. 2000 wood railing, new wood floor and tongue and groove ceiling. The main entrance retains its original, four-vertical-light glass and wood door. Windows in the dwelling are both original and reproduction four-over-one and five-over-one vertical-light double hung wood sash. On the east elevation is a bay window on the first floor. The dwelling has a ca. 1970, large, two-story gable roof addition on the rear elevation with an exterior wall chimney. Located to the rear of the dwelling is a rebuilt frame garage.

Noncontributing

303 W. Lake Street – Contributing



At this location is a one-and-one-half story cross-gabled Tudor Revival style dwelling built ca. 1930. The house has a steeply pitched roof of asphalt shingles, a continuous stone foundation, an exterior brick chimney and an exterior of brick veneer. On the main (E) façade is a projecting gable bay with three, six-over-six double hung wood sash windows above which are three, six-light fixed windows. Adjacent to the bay is an inset of three, eight-light casement windows above which is a steep shed roof. Also on the main elevation is an original, arched Tudor-style wood door with a small four-light window with an original, arched eight-light and wood exterior storm door. The entrance is set in an arched frame with stone voussoirs with a central keystone. Other windows in the dwelling are original six-over-six double hung wood sash. On the rear elevation is a large, shed roof dormer that extends across the roofline. The dormer has a triple set of six-over-six double hung wood sash windows and an exterior of synthetic siding. The windows on the main section of the dwelling have stone sills and soldier course lintels. The brick exterior has a few randomly placed decorative diamond-shaped stones. At the rear is a recently built frame garage. **Noncontributing**

