ORDINANCE NO. 2025-4544

# ORDINANCE
# AUTHORIZING AND APPROVING AWARD OF A CONTRACT TO MACQUEEN EQUIPMENT, LLC FOR THE PURCHASE OF A NEW PIERCE ENFORCER PUMPER FOR THE BARRINGTON FIRE DEPARTMENT

WHEREAS, the Village of Barrington (herein sometimes referred to as the Village"), Cook and Lake Counties in Illinois, wishes to purchase a new Enforcer Pumper for the Barrington Fire Department; and

WHEREAS, in response to the Village's request, the Village received from MacQueen Equipment, LLC, d/b/a MacQueen Emergency Group ("MacQueen") a Proposal dated June 5, 2025 and a related Purchase Agreement for one (1) new Pierce Enforcer Pumper constructed pursuant to and in substantial compliance with the specifications and with all of those options as set forth on the MacQueen Purchase Agreement, together with a related Performance Bond, for a total not-to-exceed cost of $1,185,886 (the "Pierce Enforcer Pumper" or the "Pumper"); and

WHEREAS, the Corporate Authorities of the Village have determined that it is in the best interest of the Village and its residents for the Village to accept the MacQueen proposal dated June 5, 2025, and to award a contract to MacQueen Equipment, LLC for provision of the aforesaid new Pierce Enforcer Pumper, delivery of which is expected to be approximately 32-35 months after contract acceptance:

NOW, THEREFORE BE IT ORDAINED, by the President and Board of Trustees of the Village of Barrington, Cook and Lake Counties, Illinois, in exercise of the authority of this Village as a Home Rule unit, as follows that:

SECTION 1: The Corporate Authorities of the Village hereby find that the facts set forth in this Ordinance are true and correct, and such recitals are incorporated herein by reference as the findings of the Corporate Authorities as if fully set forth herein.

SECTION 2: The Corporate Authorities of the Village do hereby approve and accept the MacQueen proposal dated June 5, 2025 and the related Purchase Agreement, and award a contract to MacQueen Equipment, LLC for provision of the aforesaid new Pierce Enforcer Pumper (the "Pumper"), delivery of which is expected to be approximately 32-35 months after contract acceptance, for use by the Barrington Fire Department, which Pumper shall be constructed pursuant to and in substantial compliance with the aforesaid 2025 Contract Documents and with all of those options as set forth on the Contract Documents, at a total aggregate not-to-exceed cost, including a related Performance Bond, of $1,185,886, all in accordance with all terms, conditions, and specifications set forth in the Contract Documents which are attached hereto as Group Exhibit A, and thereby made a part thereof.

SECTION 3: The Corporate Authorities of the Village hereby authorize the Village President, or his designee, to execute said Contract Documents, and the Village Clerk is authorized to attest said Contract Documents and deliver to MacQueen Equipment, LLC, d/b/a MacQueen Emergency Group, a copy of the executed Contract Documents, substantially in the form attached

hereto as Group Exhibit A, and to otherwise take all the necessary and appropriate actions, and to do all things necessary and essential, including but not limited to the execution and delivery of the Contract Documents and any other documents and certifications, in order to implement the Contract with MacQueen Equipment, LLC, d/b/a MacQueen Emergency Group, as herein authorized, waiving any and all requirements for competitive bidding otherwise required by law and said Contract is hereby specifically authorized, ratified and approved by the Corporate Authorities of the Village pursuant to Section 1-6A-6 of the Barrington Village Code.

SECTION 4: This Ordinance shall take effect from and after its passage and approval as provided by law.

PASSED THIS 28 DAY OF July, 2025, BY ROLL CALL VOTE AS FOLLOWS:

AYES: Trustees Lohmeyer, Sholeen, Wendrek, Duncan, Prigge, Klauer and President Moran

NAYS: NONE

ABSENT: NONE

RECUSE: NONE

APPROVED THIS 28 OF July, 2025

Michael Moran, Village President

ATTESTED AND FILED THIS
28 DAY OF July, 2025

James P. Dillon, Village Clerk

(SEAL)

Village of Barrington
CORPORATE
SEAL
Cook & Lake Counties, IL

# GROUP EXHIBIT A

## CONTRACT DOCUMENTS

(1) 1216 Purchase Agreement Dated 07-02-2025

(2) 1216 Proposal Letter Dated 06-05-2025

EM-102

June 5, 2025

Assistant Chief Mike Brown
Village of Barrington
400 N Northwest Highway
Barrington, IL 60010

Subject: **Proposal for one (1) Pierce Enforcer Pumper**
**Proposal / Bid 1216**

Dear Assistant Chief Brown,

With regard to the above subject, please find attached our completed proposal. Pricing, is as follows, including 100% prepay option.

**Pricing Summary:**

Sale Price – **$1,182,900.00***
***Houston-Galveston Area Council (HGAC) Consortium Pricing.***
***Pricing includes $20,000.00 Shelf Contingency Fund.***

**100% Performance Bond:**

Should the Village of Barrington elect to have us provide a Performance Bond, $2,986.00 will need to be added to the above sale price.

**100% Prepayment Option:**

Should the Village of Barrington elect to make a 100% prepayment at contract signing, a discount of ($93,600.00) can be subtracted from the above "Sale Price" resulting in a revised contract price of **$1,089,300.00 OR $1,092,286.00 with Performance Bond**.

**Terms and Conditions:**

Taxes – Not Applicable

Freight – F.O.B. – Appleton, WI / Shipping to Barrington, IL

Terms – Net due prior to vehicle(s) release at the Pierce Manufacturing Plant (Appleton, WI). Net due at Contract signing for **Prepay discount** to be applicable.

Delivery* – 32 - 35 months from receipt and acceptance of contract.

**Due to global supply chain constraints, any delivery date contained herein is a good faith estimate as of the date of this order/contract, and merely an approximation based on current information. Delivery updates will be made available, and a final firm delivery date will be provided as soon as possible.*

Said apparatus and equipment are to be built and shipped in accordance with the specifications hereto attached, delays due to strikes, war, or international conflicts, or other causes beyond our control not preventing, could alter the delivery schedule.

The specifications herein contained, shall form a part of the final contract, and are subject to changes as desired by the purchaser, provided such changes are acknowledged and agreed to in writing by the purchaser.

Various state or federal regulation agencies (e.g., NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting cost increases incurred to comply therewith will be added to the Purchase Price to be paid by the Customer. Any future drive train upgrades (engine, transmission, axles, etc.) or any other specification changes have not been calculated into our annual increases and will be provided at additional cost. The Company reserves the right to update pricing in response to manufacturer-imposed increases as a result of PPI inflation. The Company will document and itemize any such price increase for the Customer's review and approval before proceeding. Should the customer choose not to accept the pricing update, the customer has the ability to cancel without penalty.

This proposal for fire apparatus conforms with all Federal Department of Transportation (DOT) rules and regulations in effect at the time of bid, and with all National Fire Protection Association (NFPA) Guidelines for Automotive Fire Apparatus as published at the time of bid, except as modified by customer specifications.

The attached proposal is valid for **July 30, 2025**.

We trust the above and the enclosed to be full and complete at this time; however, should you have any questions or require additional information, please do not hesitate to contact me at 630-973-9081 or dan.rudnicki@macqueengroup.com .

We wish to thank the Village of Barrington for the opportunity to submit our proposal.

Respectfully,

Dan Rudnicki

Dan Rudnicki
Apparatus Sales
MacQueen Equipment LLC
DBA MacQueen Emergency Group

# PURCHASE AGREEMENT

This Purchase Agreement (together with all attachments referenced herein, the "Agreement"), made and entered into by and between MacQueen Equipment, LLC, as a Delaware limited liability company DBA MacQueen Emergency ("MacQueen"), and Village of Barrington, (customer) is effective as of the date specified in Section 3 hereof.

1. **Definitions**
   a. **"Product"** means the fire apparatus and any associated equipment furnished for the Customer by MacQueen, pursuant to the specifications.
   b. **"Specifications"** means the general specifications, technical specifications, orientation, and testing requirements for the Product contained in the MacQueen Proposal for the Product prepared in response to the Customer's request for proposal.
   c. **"MacQueen Proposal"** means the proposal provided by MacQueen attached as Exhibit C prepared in response to the Customer's request for proposal.
   d. **"Delivery"** means the date MacQueen is prepared to make physical possession of the Product available to the Customer.

2. **Purpose**
   This Agreement sets forth the terms and conditions of MacQueen's sale of the Product to the Customer.

3. **Term of Agreement**
   This Agreement will become effective on the date it is signed and approved by MacQueen's authorized representative pursuant to Section 22 hereof ("Effective Date") and, unless earlier terminated pursuant to the terms of this Agreement, it will terminate upon the Customer's Acceptance and payment in full of the Purchase Price.

4. **Purchase and Payment**
   The Customer agrees to purchase the Product specified on Exhibit A for the total purchase price of $1,182,900.00 ("Purchase Price"). Prices are in US Funds.
   **NOTE: Upon final inspection at the factory for pick-up or delivery, the customer will need to supply a "Certificate of Insurance" and "FULL PAYMENT" prior to release of the vehicle, unless prior arrangements for vehicle's release have been made.**

5. **Future Changes**
   Various state or federal regulation agencies (e.g., NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting cost increases incurred to comply therewith will be added to the Purchase Price to be paid by the Customer. Any future drive train upgrades (engine, transmission, axles, etc.) or any other specification changes have not been calculated into our annual increases and will be provided at additional cost. The Company reserves the right to update pricing in response to manufacturer-imposed increases as a result of PPI inflation. The Company will document and itemize any such price increase for the Customer's review and approval before proceeding. Should the customer choose not to accept the pricing update, the customer has the ability to cancel without penalty or cancellation fee.

6. **Agreement Changes**
   The Customer may request that MacQueen incorporate a change to the Products or the Specifications for the Products by delivering a change order to MacQueen; provided, however, that any such change order must be in writing and include a description of the proposed change sufficient to permit MacQueen to evaluate the feasibility of such change ("Change Order"). Within seven (7) business days of receipt of a Change Order, MacQueen will inform the Customer in writing of the feasibility of the Change Order, the earliest possible implementation date for the Change Order, of any increase or decrease in the Purchase Price resulting from such Change Order, and of any effect on production scheduling or Delivery resulting from such Change Order. MacQueen shall not be liable to the Customer for any delay in performance or Delivery arising from any such Change Order. A Change Order is only

effective when counter-signed by MacQueen's authorized representative. Only the listed customer person(s) specified on Exhibit A may be able to authorize and sign the Change Order.

**7. Cancellation/Termination**

In the event this Agreement is cancelled or terminated by the Customer before completion, MacQueen may charge a cancellation fee. The following charge schedule based on costs incurred may be applied: (a) 10% of the Purchase Price after order is accepted and entered by MacQueen; (b) 20% of the Purchase Price after completion of approval drawings, and; (c) 30% of the Purchase Price upon any material requisition. The cancellation fee will increase accordingly as costs are incurred as the order progresses through engineering and into manufacturing. MacQueen endeavors to mitigate any such costs through the sale of such Product to another purchaser; however, Customer shall remain liable for the difference between the Purchase Price and, if applicable, the sale price obtained by MacQueen upon sale of the Product to another purchaser, plus any costs incurred by MacQueen to conduct any such sale.

**8. Delivery, Inspection, and Acceptance**

**a. Delivery**

Delivery of the Product is approximately **32-35 months** of the Effective Date of this Agreement. Risk of loss shall pass to Customer upon Delivery. Delivery shall be made and title documentation shall pass upon Customer's complete fulfillment of its obligations arising under Section 4 hereof. Due to global supply chain constraints, any delivery date contained herein is a good faith estimate as of the date of this order/contract, and merely an approximation based on current information. Delivery updates will be made available, and a final firm delivery date will be provided as soon as possible.

**b. Inspection and Acceptance**

Upon Delivery, Customer shall have fifteen (15) days within which to inspect the Product for substantial conformance to the material Specifications, and in the event of substantial non-conformance to the material Specifications to furnish MacQueen with written notice sufficient to permit MacQueen to evaluate such non-conformance ("Notice of Defect"). Any Product not in substantial conformance to material Specifications shall be remedied by MacQueen within thirty (30) days from the Notice of Defect. In the event MacQueen does not receive a Notice of Defect within fifteen (15) days of Delivery, Product will be deemed to be in conformance with Specifications and Accepted by Customer.

**9. Notice**

Any required or permitted notices hereunder must be given in writing at the address of each party set forth below, or to such other address as either party may substitute by written notice to the other in the manner contemplated herein, by one of the following methods: hand delivery; registered, express, or certified mail, return receipt requested, postage prepaid; or nationally-recognized private express courier:

**MacQueen Equipment, LLC**
1125 7th Street East
St. Paul, MN 55106

**Village of Barrington**
Assistant Chief Mike Brown
400 N Northwest Highway
Barrington, IL 60010

**10. Standard Warranty**

The equipment sold herein will be manufactured by Pierce Manufacturing, Inc. and any warranties are attached hereto as Exhibit B and made a part hereof. Any additional warranties must be expressly approved in writing by Pierce's authorized representative and MacQueen.

**a. Disclaimer**

Other than as expressly set forth in this agreement, neither Pierce, its Parent Company, Affiliates, Subsidiaries, Licensors, suppliers, distributors, dealers, including without limitation, MacQueen, or other respective officers, directors, employees, shareholders, agents or representatives, make any express or implied warranties with respect to the products provided hereunder or otherwise regarding this agreement, whether oral or written, express, implied or statutory. Without limiting the foregoing, any implied warranty against infringement, and the

implied warranty of condition of fitness for a particular purpose are expressly excluded and disclaimed. Statements made by sales representatives or in promotional materials do not constitute warranties.

**b. Exclusions of Incidental and Consequential Damages**
In no event shall MacQueen be liable for consequential, incidental or punitive damages incurred by Customer or any third party in connection with any matter arising out of or relating to this Agreement, or the breach thereof, regardless of whether such damages arise out of breach of warranty, tort, contract, strict liability, statutory liability, indemnity, whether resulting from non-delivery or from MacQueen's own negligence, or otherwise.

**11. Insurance**
MacQueen maintains the following limits of insurance with a carrier(s) rated A- or better by A.M. Best:

Commercial General Liability Insurance:
Products/Completed Operations Aggregate: $ 2,000,000
Each Occurrence: $ 2,000,000

Umbrella/Excess Liability Insurance:
Aggregate: $ 5,000,000
Each Occurrence: $ 5,000,000

*The Customer may request MacQueen to provide the Customer with a copy of a current Certificate of Insurance with the coverages listed above.*

**12. Indemnity**
The Customer shall indemnify, defend and hold harmless MacQueen, its officers, employees, dealers, agents or subcontractors, from any and all claims, costs, judgments, liability, loss, damage, attorneys' fees or expenses of any kind or nature whatsoever (including, but without limitation, personal injury and death) to all property and persons caused by, resulting from, arising out of or occurring in connection with the Customer's purchase, installation or use of goods sold or supplied by MacQueen which are not caused by the sole negligence of MacQueen or Pierce.

**13. Force Majeure**
MacQueen shall not be responsible nor deemed to be in default on account of delays in performance due to causes which are beyond MacQueen's control which make MacQueen's performance impracticable, including but not limited to civil wars, insurrections, strikes, riots, fires, storms, floods, other acts of nature, explosions, earthquakes, accidents, any act of government, delays in transportation, inability to obtain necessary labor supplies or manufacturing facilities, allocation regulations or orders affecting materials, equipment, facilities or completed products, failure to obtain any required license or certificates, acts of God or the public enemy or terrorism, failure of transportation, epidemics, quarantine restrictions, failure of vendors (due to causes similar to those within the scope of this clause) to perform their contracts or labor troubles causing cessation, slowdown, or interruption of work.

**14. Default**
The occurrence of one or more of the following shall constitute a default under this Agreement:

**(a)** the Customer fails to pay when due any amounts under this Agreement or to perform any of its obligations under this Agreement; **(b)** MacQueen fails to perform any of its obligations under this Agreement; **(c)** either party becomes insolvent or become subject to a bankruptcy or insolvency proceedings; **(d)** any representation made by either party to induce the other to enter into this Agreement is false in any material respect; **(e)** the Customer dissolves, merges, consolidates or transfers a substantial portion of its property to another entity; or **(f)** the Customer is in default or has breached any other contract or agreement with MacQueen.

**15. Relationship of Parties**
Neither party is a partner, employee, agent, or joint venture of or with the other.

**16. Assignment**
Neither party may assign its rights and obligations under this Agreement unless it has obtained the prior written approval of the other party.

17. **Governing Law; Jurisdiction**
Without regard to any conflict of law's provisions, this Agreement is to be governed by and under the laws of the state of Minnesota.

18. **Facsimile & Electronic Verified Signatures**
The delivery of signatures to this Agreement by facsimile transmission and/or electronic verified shall be binding as original signatures.

19. **Entire Agreement**
This Agreement shall be the exclusive agreement between the parties for the Product. Additional or different terms proposed by the Customer shall not be applicable, unless accepted in writing by MacQueen's authorized representative. No change in, modification of, or revision of this Agreement shall be valid unless in writing and signed by MacQueen's authorized representative.

20. **Conflict**
In the event of a conflict between the Customer Specifications and the MacQueen Proposal, the MacQueen Proposal shall control.

21. **Additional Orders**
Company, at its sole discretion, will allow the terms of this contract to be extended to both the Customer, as well as to other Municipal, State, or Federal agencies for similar unit(s). Company will allow tag on / additional orders for up to three (3) years from the date of contract execution. To facilitate pricing, Company will quote the original price plus manufacturer's price increases or Producer's Price Index (PPI) whichever is greater as it applies to either Fire Apparatus and/or commercial heavy truck industries. Additionally, any regulatory changes (NFPA, EPA, Engine Emissions, FMVSS, etc.) will also have to be added to the price as they become applicable. Change orders to the original specification will need to be authorized, signed, and accepted by Company. Any entity using this tag-on/additional orders program will be required to sign a new contract commencing the relationship. Additionally, if required by the Purchaser, any new tag-on / additional orders that require a "separate" Performance bond will be separately priced. This contract, including its appendices, embodies the entire agreement between the parties relating to the subject matter contained herein and merges all prior discussions and agreements. No agent or representative of Company has authority to make any representations, statements, warranties, or agreements not herein expressed and all modifications of amendments of this agreement, including any appendices, must be in writing and executed by an authorized representative of each of the parties hereto. No surety of any performance bond given by Company to the Customer in connection with this Agreement shall be liable for any obligation of Company arising under the Standard Applicable Warranty.

22. **Signatures**
This Agreement is not effective unless and until it is approved, signed and dated by MacQueen's authorized representative.

Accepted and Agreed to:

**MACQUEEN EQUIPMENT, LLC**

Signature: _____

Name: _____

Title: _____

Date: _____

**VILLAGE OF BARRINGTON**

Signature: _____

Name: Michael Moran

Title: Village President

Date: July 28, 2025

## EXHIBIT A – PURCHASE PAYMENT TERMS & CONDITIONS

MacQueen Equipment, LLC
1125 7th Street East
St. Paul, MN 55106

**Customer Name** Village of Barrington **Date** July 2, 2025

| Quantity | Chassis Type | Body Type | Contract Price per Unit |
|---|---|---|---|
| 1 | Enforcer | Pumper | $1,182,900.00* |

***Houston-Galveston Area Council (HGAC) Consortium Pricing.***

**PERFORMANCE BOND OPTION:**

**If a Performance Bond is required add $2,986.00 to the contract price. *Initial here to accept:* _____.**

**100% PREPAYMENT OPTION: DUE AT CONTRACT SIGNING TO BE APPLICABLE.**

**If 100% prepayment is made with contract, deduct $93,600.00 from contract price.**
**Payment due with contract is $1,089,300.00 OR $1,092,286.00 with Performance Bond.**
***Initial here to accept:*** _____.

**Only the below listed person(s) are authorized to make changes to product specifications on behalf of the Customer.**

| Name | Title |
|---|---|
| | |
| | |
| | |

This contract is available for inter-local and other municipal corporations to utilize with the option of adding or deleting any Company available options, including chassis models. Any addition or deletion may affect the unit price.

**"PAYMENT TERMS" 100% of contract price or any balance is due prior to vehicle(s) release at the Pierce Manufacturing Plant (Appleton, WI).**

**"TAXES" Federal, State, and Local Taxes are not included in the contract price.**

**"LATE PAYMENT" A late fee of .033% of the sale price will be charged per day for overdue payments beginning ten (10) days after the payment is due for the first thirty (30) days. The late fee increases to .044% per day until the payment is received.**

[NOTE: If deferred payment arrangements are required, the Customer must make such financial arrangements through a financial institution acceptable to MacQueen.] All taxes, excises and levies that MacQueen may be required to pay or collect by reason of any present or future law or by any governmental authority based upon the sale, purchase, delivery, storage, processing, use, consumption, or transportation of the Product sold by MacQueen to the Customer shall be for the account of the Customer and shall be added to the Purchase Price. All delivery prices or prices with freight allowance are based upon prevailing freight rates and, in the event of any increase or decrease in such rates, the prices on all unshipped Product will be increased or decreased accordingly. Delinquent payments shall be subject to a carrying charge of 1.5 percent (1.5%) per month or such lesser amount permitted by law. MacQueen will not be required to accept payment other than as set forth in this Agreement. However, to avoid a late charge assessment in the event of a dispute caused by a substantial nonconformance with material Specifications (other than freight), the Customer may withhold up to five percent (5%) of the Purchase Price until such time that MacQueen substantially remedies the nonconformance with material Specifications, but no longer than sixty (60) days after Delivery. If the disputed amount is the freight charge, the Customer may withhold only the amount of the freight charge until the dispute is settled, but no longer than sixty (60) days after Delivery. MacQueen shall have and retain a purchase money security interest in all goods and products now or hereafter sold to the Customer by MacQueen or any of its affiliated companies to secure payment of the Purchase Price for all such goods and products. In the event of nonpayment by the Customer of any debt, obligation or liability now or hereafter incurred or owing by the Customer to MacQueen, MacQueen shall have and may exercise all rights and remedies of a secured party under Article 9 of the Uniform Commercial Code (UCC) as adopted by the state of Minnesota.

THIS PURCHASE DETAIL FORM IS EXPRESSLY SUBJECT TO THE PURCHASE AGREEMENT TERMS AND CONDITIONS DATED AS OF July 2, 2025 BETWEEN MACQUEEN AND Village of Barrington (customer) WHICH TERMS AND CONDITIONS ARE HEREBY INCORPORATED IN, AND MADE PART OF, THIS PURCHASE DETAIL FORM AS THOUGH EACH PROVISION WERE SEPARATELY SET FORTH HEREIN, EXCEPT TO THE EXTENT OTHERWISE STATED OR SUPPLEMENTED BY MACQUEEN HEREIN.

**Is Customer Name and Address listed on page 2 to be used on Certificate of Origin (CO)? ☐ Yes ☐ No**
**If not, please provide correct name and address to be listed on CO.** _____
_____

**Is there a lienholder? ☐ Yes ☐ No**
**If yes, please provide lienholder Name & Address.** _____
_____

## EXHIBIT B – PROPOSAL OPTION LIST WITH WARRANTIES

**SEE ATTACHED PROPOSAL OPTION LIST Bid Number 1216 Dated 6/5/2025 FOR ALL APPLICABLE OPTIONS AND WARRANTIES APPROVED WITH CONTRACT.**

# Option List

6/5/2025

| | | | |
|---|---|---|---|
| **Customer:** | Barrington Fire Department, Village of | **Bid Number:** | 1216 |
| **Representative** | Rudnicki, Dan | **Job Number:** | |
| **Organization:** | MacQueen Emergency Group | **Number of Units:** | 1 |
| **Requirements Manager:** | | **Bid Date:** | 12/26/2024 |
| **Description:** | Barrington pumper | **Stock Number:** | |
| **Body:** | Pumper, Long, Stainless Steel, 2nd Gen | **Price Level:** | 52 (Current: 52) |
| **Chassis:** | Enforcer Chassis | **Lane:** | Lane 1 |

| Line | Option | Type | Option Description | Qty |
|---|---|---|---|---|
| 1 | 0010012 | | No Boiler Plates requested | 1 |
| 2 | 0661794 | | Single Source Compliance | 1 |
| 3 | 0584456 | | Manufacture Location, Appleton, Wisconsin | 1 |
| 4 | 0584452 | | RFP Location: Appleton, Wisconsin | 1 |
| 5 | 0588609 | | Vehicle Destination, US | 1 |
| 6 | 0764706 | SP | BMP Truck - Pre-Approval at Bid - Approved Option Will Be Required at Booking | 1 |
| 7 | 0816491 | | Comply NFPA 1900 Changes Effective Jan 1, 2024, With Exceptions | 1 |
| 8 | 0533347 | | Pumper/Pumper with Aerial Device Fire Apparatus | 1 |
| 9 | 0588611 | | Vehicle Certification, Pumper | 1 |
| 10 | 0661778 | | Agency, Apparatus Certification, Pumper/Tanker, U.L. | 1 |
| 11 | 0816495 | | Certification, Vehicle Inspection Program, NFPA 1900 | 1 |
| 12 | 0620362 | | HGAC | 1 |
| 13 | 0537375 | | Unit of Measure, US Gallons | 1 |
| 14 | 0529326 | | 10%, Pierce Built Chassis | 1 |
| 15 | 0816569 | | P-Bond, Not Requested, PPI | 1 |
| 16 | 0000007 | | Approval Drawing | 1 |
| 17 | 0002928 | | Electrical Diagrams | 1 |
| 18 | 0649754 | | Enforcer Chassis | 1 |
| 19 | 0000110 | | Wheelbase | 1 |
| | | | Wheelbase - 252" | |
| 20 | 0000070 | | GVW Rating | 1 |
| | | | GVW rating - 45000 | |
| 21 | 0729280 | | Frame Rails, 13.38 x 3.50 x .375, Enforcer | 1 |
| 22 | 0889469 | | Frame Liner, "C/Inv L" 12.50" x 3.00" x .25", AXT/Vel/Imp/Enf, 56" QVal | 1 |
| 23 | 0826276 | | Axle, Front, Meritor FL-943, 19,500 lb, Enforcer | 1 |
| 24 | 0826277 | | Suspension, Front, Standens, Taper Leaf, 19,500 lb, Saber FR/Enforcer | 1 |
| 25 | 0000321 | | Shock Absorbers on Front Axle, Monroe Magnum 65, Saber/Enforcer | 1 |
| 26 | 0000322 | | Oil Seals, Front Axle | 1 |
| 27 | 0765282 | | Tires, Front, Michelin, XZU S2, 315/80R22.50, 20 ply LRL,Fire Service Speed Rtng | 1 |
| 28 | 0019575 | | Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot | 1 |
| 29 | 0530459 | | 27,000 lb Meritor RS25-160 Axle | 1 |
| 30 | 0544253 | | Top Speed of Vehicle, 68 MPH /109 KPH | 1 |
| 31 | 0555351 | | Suspen, Rear, Hendrickson FMX 272 EX, Air Ride, 27,000 lb | 1 |
| 32 | 0000485 | | Oil Seals, Rear Axle | 1 |
| 33 | 0070728 | | Tires, Rear, Michelin, XDN2, 12R22.50, 16 ply, Single | 1 |
| 34 | 0019625 | | Wheels, Rear, Alcoa, 22.50" x 8.25", Aluminum, Hub Pilot, Single | 1 |
| 35 | 0568081 | | Tire Balancing, Counteract Beads | 1 |
| 36 | 0620570 | | Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle | 1 |
| | | | Qty, Tire Pressure Ind - 6 | |
| 37 | 0801909 | | Lug Nut, Covers, Chrome | 1 |
| 38 | 0003245 | | Axle Hub Covers w/center hole, S/S, Front Axle | 1 |
| 39 | 0002045 | | Mud Flap, Front and Rear, Pierce Logo | 1 |
| 40 | 0818775 | | Chocks, Wheel, Pumper, Provided by Fire Department, NFPA/ULC 2024 | 1 |
| 41 | 0544690 | | Mounting Brackets, Chocks, Provided by Fire Department | 1 |
| 42 | 0820509 | | ESC/ABS/ATC Wabco Brake System, Single Rear Axle, NFPA 1900/ULC | 1 |
| 43 | 0508676 | | Brakes, Meritor, EX225, 17", Disc Plus, Front | 1 |
| 44 | 0000730 | | Brakes, Meritor, Cam, Rear, 16.50 x 7.00" | 1 |
| 45 | 0735527 | | Air Compressor, Brake, Wabco 26.8 CI, Paccar | 1 |
| 46 | 0644232 | | Brake Reservoirs, 4,272 Cubic Inch Minimum Capacity, Saber FR/Enforcer | 1 |
| | | | Paint Color, Air Tanks - Black #98 | |

| Line | Option | Type | Option Description | Qty |
|---|---|---|---|---|
| 47 | 0649414 | | Air Dryer, Brake, AD-SP w/heater, 2010 | 1 |
| 48 | 0000790 | | Brake Lines, Nylon | 1 |
| 49 | 0000854 | | Air Inlet, w/Disconnect Coupling | 1 |
| | | | Location, Air Coupling(s) - a) DS Step Well, Forward | |
| | | | Qty, Air Coupling (s) - 1 | |
| 50 | 0615609 | | Fittings, Compression Type, Entire Apparatus, Single Rear Axle | 1 |
| 51 | 0808515 | | Engine, Paccar MX, 510HP, 1850 lb-ftW/OBD, EPA 2027, Saber FR/Enforcer | 1 |
| 52 | 0811409 | | Not Required, Engine Contingency Adjustment | 1 |
| 53 | 0001244 | | High Idle w/Electronic Engine, Custom | 1 |
| 54 | 0735687 | | Engine Brake, Fully Integrated, Paccar MX13 Engine | 1 |
| | | | Switch, Engine Brake - MX13 | |
| 55 | 0644227 | | Clutch, Fan, Air Actuated, Saber FR/Enforcer | 1 |
| 56 | 0644573 | | Air Intake, Water & Ember Screen, Saber FR/Enforcer | 1 |
| 57 | 0814375 | | Exhaust System, Horizontal, Right Side | 1 |
| | | | Exhaust, Diffuser - Aluminized Steel (Standard) | |
| | | | Exhaust, Material/Finish - Aluminized Steel (Standard) | |
| | | | Location, Diffuser Termination - 2.00" Past Rub Rail (Standard) | |
| | | | Tip, Exhaust - Straight Tip (Standard) | |
| 58 | 0788765 | | Radiator, Saber FR/Enforcer | 1 |
| 59 | 0001090 | | Cooling Hoses, Rubber | 1 |
| 60 | 0630617 | | Fuel Tank, 65 Gallon, Left Side Fill, w/ Air Suspension, Aluminum | 1 |
| | | | Finish, Fuel Tank - Unpainted | |
| 61 | 0001129 | | Lines, Fuel | 1 |
| 62 | 0889521 | | DEF Tank, 7.3 Gallon, LS Fill, Under Cab, Paccar, Lift Up Fill Dr, Spring, ENF | 1 |
| | | | Door, Material & Finish, DEF Tank - Polished Stainless | |
| 63 | 0552793 | | Not Required, Fuel Priming Pump | 1 |
| 64 | 0552712 | | Not Required, Shutoff Valve, Fuel Line | 1 |
| 65 | 0699437 | | Cooler, Chassis Fuel, Not Req'd. | 1 |
| 66 | 0690880 | | No Selection Required From This Category | 1 |
| 67 | 0887546 | | Trans, Allison 6th Gen, 4000 EVS P, w/Prognostics, Imp/Vel/SFR/Enf | 1 |
| 68 | 0625331 | | Transmission, Shifter, 6-Spd, Push Button, 4000 EVS | 1 |
| 69 | 0684459 | | Transmission Oil Cooler, Modine, External | 1 |
| 70 | 0801876 | | Fluid, 4000 Series Trans, Allison Approved TES-668 Synthetic, IPOS, Custom | 1 |
| 71 | 0001375 | | Driveline, Spicer 1810 | 1 |
| 72 | 0734212 | | Steering, Dual Gear, TRW TAS-65, w/tilt, Paccar Pump w/ Cooler, Enf, Paccar | 1 |
| 73 | 0509229 | | Steering Wheel, 2 Spoke | 1 |
| 74 | 0690274 | | Logo and Emblem on Dash | 1 |
| | | | Text, Row (1) One - Barrington | |
| | | | Text, Row (2) Two - Fire | |
| | | | Text, Row (3) Three - Department | |
| 75 | 0816784 | | Lube System, Vogel Automatic Lube System, Single Axle | 1 |
| | | | Location, Vogel Lube Pump/Reservior - Pumphouse | |
| 76 | 0037606 | | 22" Painted Steel Bumper | 1 |
| 77 | 0640195 | | Tray, Hose, Center, 22" Bumper, Outside Air Horns | 1 |
| | | | Grating, Bumper extension - Grating, Rubber | |
| | | | Capacity, Bumper Tray - 19) 100' of 1.75" | |
| 78 | 0630813 | | Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray | 1 |
| | | | Stay arm, Tray Cover - b) Pneumatic Stay Arm | |
| 79 | 0658303 | | Box, Tool w/cover, Left | 1 |
| | | | Stay arm, Tray Cover - b) Pneumatic Stay Arm | |
| | | | Latch, Bumper Storage - D ring latch | |
| 80 | 0625557 | | Hose Restraint, Not Required, Cover Included with Other Option | 1 |
| 81 | 0620614 | | Tray, (1) Hose Right Side of Bumper, 13" Deep | 1 |
| | | | Grating, Bumper extension - Grating, None | |
| | | | Capacity, Bumper Tray - Two (2) 25' Rolls of 4.00" | |
| 82 | 0633453 | | Hose Restraint, Bumper Tray, Velcro Straps, Pair | 1 |
| | | | Qty, Pair - 01 | |
| 83 | 0614646 | | No Lift & Tow Package, Imp/Vel, AXT, SFR/Enf | 1 |
| 84 | 0002270 | | Tow Hooks, Chrome | 1 |
| 85 | 0607514 | | Partition, Adjustable, Aluminum in Hose Tray, Front to Back, Qty, Location | 1 |
| | | | Location - center bumper tray | |
| | | | Qty, - 01 | |

| Line | Option | Type | Option Description | Qty |
|---|---|---|---|---|
| 86 | 0013252 | | Tray, Suction Strainer Mounting, Recessed, DS Bumper Extension | 1 |
| 87 | 0678962 | | Coating, Top Flange, Front Bumper, Outside Exterior, UL-LX Coating, Red | 1 |
| 88 | 0795533 | | Cab, Enforcer, 8400 | 1 |
| 89 | 0747442 | | Engine Tunnel, X12, MX13, Spray Insulation, Enforcer | 1 |
| 90 | 0887601 | | Cab Insulation, Enforcer/Saber FR | 1 |
| 91 | 0633594 | | Rear Wall, Interior, Adjustable Seating | 1 |
| 92 | 0632103 | | Rear Wall, Exterior, Cab, Saber FR/Enforcer | 1 |
| | | | Material, Exterior Rear Wall - Aluminum Treadplate | |
| 93 | 0644201 | | Cab Lift, Elec/Hyd, Saber FR/Enforcer | 1 |
| 94 | 0695930 | | Grille, Bright Finished, Front of Cab, Enforcer | 1 |
| 95 | 0647932 | | Not Required, Trim, S/S Band, Across Cab Face, AXT/Saber/Enforcer | 1 |
| 96 | 0015440 | | No Chrome Molding, On side of cab | 1 |
| 97 | 0521669 | | Mirrors, Retrac, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex | 1 |
| 98 | 0648171 | | Half Height Door | 1 |
| | | | Key Model, Cab Doors - 751 | |
| | | | Cab, Exterior Door Handle, Finish - 4-Door, Chrome/Black | |
| 99 | 0655543 | | Door Panel, Brushed Stainless Steel, Saber/Enforcer 4-Door Cab | 1 |
| 100 | 0528958 | | Not Required, Controls, Electric Window, AXT, Quantum, Saber, Enforcer | 1 |
| 101 | 0638310 | | Steps, 4-Door Cab, Saber FR/Enforcer | 1 |
| | | | Step Well Material - Aluminum Treadplate | |
| 102 | 0770213 | | Handrail, Exterior, Brey-Krause, 24" Formed, S/S, Coat Hook, 4-Door Cab | 1 |
| 103 | 0892638 | | Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 6lts | 1 |
| | | | Color, Trim - Chrome Housing | |
| 104 | 0002141 | | Fenders, s/s on cab - Saber/Enforcer | 1 |
| 105 | 0621815 | | No Windows, Side of Crew Cab, 84" Enforcer | 1 |
| 106 | 0831077 | SP | Compt, 29 W x 66 H LS/75.50 H RS x 15/22 D Upr, Web, Dbl Pan, DEF, 84" Enf | 1 |
| | | | Material Finish, Shelf - Painted - Spatter Gray | |
| | | | Finish, Cab Compt/Component - Spatter Gray | |
| | | | Shelf/Tray, Cabinet - (3) Shelves, Adjustable, 0.75" Up-Turned Lip | |
| | | | Door, Cab Exterior Cabinet - Double Pan, (2), Non-Locking | |
| | | | Door, Exterior Stop - 2-Stay Arm | |
| | | | Light, Tall Cabinet - Pierce, Interior, 2 Door, Outboard | |
| | | | Material Finish, Shelf, 2nd - Painted - Spatter Gray | |
| | | | Shelf/Tray, Cabinet, 2nd - (3) Shelves, Adjustable, 0.75" Up-Turned Lip | |
| | | | Fastener, Web, Cab Cabinet - 2 Drs, Seat Belt Buckle, Btm, Orange Strap | |
| 107 | 0898549 | | Cab Air Filtration, TFT CrewProtect 100, 12v DC, Loc, CARE | 1 |
| | | | Qty, CrewProtect Filter - No additional | |
| | | | Location, Occupant Filtration System - Rear of Officer Seat | |
| 108 | 0894089 | | Dash, Heavy Duty Metal, Enforcer | 1 |
| | | | Material Finish, Metal Dash - Match Interior Paint | |
| 109 | 0606278 | | Tray, Equipment Mounting, Aluminum, Lip, Size | 1 |
| | | | Location - mounted to rear of engine cover | |
| | | | Qty, - 01 | |
| | | | Size - 49"W x 22"D | |
| | | | Material Finish, Cab Interior - Painted | |
| | | | Lip - 2.00" | |
| 110 | 0750824 | | Cab Interior, Vinyl Headliner, Saber FR/Enforcer, CARE | 1 |
| | | | Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray | |
| | | | Engine Tunnel Cover - Dark Silver Gray Endure Vinyl | |
| | | | Cab Interior Rear Wall Material - Painted Aluminum | |
| 111 | 0753903 | | Cab Interior, Paint Color, Saber FR/Enforcer | 1 |
| | | | Color, Cab Interior Paint - i) fire smoke gray | |
| 112 | 0052100 | | Floor, Rubber Padded, Cab & Crew Cab, Saber/Enforcer | 1 |
| 113 | 0722696 | | HVAC, Standard-Duty, Enforcer, CARE | 1 |
| | | | HVAC System, Filter Access - Removable Panel | |
| | | | Auxiliary Cab Heater - Both | |
| | | | HVAC System, Control Loc. - Panel Position #12 | |
| | | | Plenum Cover Material - Metal, Painted | |
| 114 | 0624005 | | Sun Visor, Vinyl/Fabric, AXT, Qtm, SFR/Enf | 1 |
| | | | Sun Visor Retention - No Retention | |
| | | | Sun Visor, Vinyl/Fabric - Vinyl | |
| 115 | 0634328 | | Grab Handles, Driver and Officer Door Posts, Saber FR/Enforcer | 1 |

| Line | Option | Type | Option Description | Qty |
|---|---|---|---|---|
| 116 | 0583938 | | Lights, Engine Compt, Custom, Auto Sw, Win 3SC0CDCR, 3" LED, Trim<br>Qty, - 01 | 1 |
| 117 | 0631830 | | Fluid Check Access, Saber FR/Enforcer, Arrow XT<br>Latch, Door, Storage - Lift and Turn Latch, Flush | 1 |
| 118 | 0583039 | | Not Required, Side Roll and Frontal Impact Protection | 1 |
| 119 | 0622619 | | Seating Capacity, 4 Belted Seats | 1 |
| 120 | 0636957 | | Seat, Driver, Pierce PSV, Air Ride, High Back, PRIMARY, SFR/Enf | 1 |
| 121 | 0636946 | | Seat, Officer, Pierce PSV, Fixed, SCBA, PRIMARY, SFR/Enf | 1 |
| 122 | 0620420 | | Radio Compartment, Below Non-Air Ride Seat, Saber FR/Enforcer<br>Latch, Door, Storage - Lift and Turn Latch | 1 |
| 123 | 0632852 | | Seat, Rr Fcng C/C, LS Otbrd, Pierce PSV, SCBA, PRIMARY, SFR/Enf | 1 |
| 124 | 0102783 | | Not Required, Seat, Rr Facing C/C, Center | 1 |
| 125 | 0632848 | | Seat, Rr Fcng C/C, RS Otbrd, Pierce PSV, SCBA, PRIMARY, SFR/Enf | 1 |
| 126 | 0108189 | | Not Required, Seat, Forward Facing C/C, LS Outboard | 1 |
| 127 | 0831083 | SP | Cabinet, Forward Facing, Center, 46 W x 32 H x 28 D, Web, Sp Mtg, SFR/Enf<br>Light, Short Cabinet - Pierce, Interior, Right Side and Pierce, Interior, Left Side<br>Material Finish, Shelf - Painted - Cab Interior<br>Shelf/Tray, Cabinet - (1) Shelf, Adjustable, 0.75" Up-Turned Lip<br>Louvers, Cabinet - 0-No Louvers<br>Fastener, Web, Cab Cabinet - Seat Belt Buckle, Btm, Orange Strap | 1 |
| 128 | 0108190 | | Not Required, Seat, Forward Facing C/C, RS Outboard | 1 |
| 129 | 0566653 | | Upholstery, Seats In Cab, Turnout Tuff<br>Color, Cab Interior Vinyl/Fabric - m) Gray | 1 |
| 130 | 0543991 | | Bracket, Air Bottle, Hands-Free II, Cab Seats<br>Qty, - 03 | 3 |
| 131 | 0603866 | | Seat Belt, Dual Retractor, ReadyReach, Saber FR/Enforcer<br>Seat Belt Color - Red | 1 |
| 132 | 0817557 | | Helmet Storage, Provided by Fire Department, NFPA/ULC 2024 | 1 |
| 133 | 0647644 | | Lights, Dome, FRP Dual LED 6 Lts<br>Color, Dome Lt - Red & White<br>Color, Dome Lt Bzl - Black<br>Control, Dome Lt White - Door Switches and Lens Switch<br>Control, Dome Lt Color - Lens Switch | 1 |
| 134 | 0896451 | | Enhanced Software for Cab and Crew Cab Dome Lts | 1 |
| 135 | 0816997 | | Portable Hand Light, Provided by Fire Dept, NFPA/ULC 2024 | 1 |
| 136 | 0622803 | | Cab Instruments, Black Gauges, Black Bezels, Enforcer MUX<br>Emergency Switching - Individual Switches | 1 |
| 137 | 0509511 | | Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX | 1 |
| 138 | 0543751 | | Light, Do Not Move Apparatus<br>Alarm, Do Not Move Truck - Pulsing Alarm | 1 |
| 139 | 0509042 | | Messages, Open Dr/DNMT, Color Dsply, | 1 |
| 140 | 0611683 | | Switching, Cab Instrument Lower Console & Overhead, Membrane, Enforcer WiFi MUX | 1 |
| 141 | 0802940 | | Wiper Control, 2-Speed with Intermittent, Saber FR/Enforcer<br>Location, Wiper Control - Standard Location | 1 |
| 142 | 0820898 | | NFPA 2024<br>Location, Wiring - on engine tunnel specific location at preconstruction meeting<br>12vdc power from - Battery direct<br>Wire termination - 15 amp power point plug | 1 |
| 143 | 0820897 | | NFPA 2024<br>Location, Wiring - drivers dash<br>12vdc power from - Battery direct<br>Wire termination - 15 amp power point plug | 1 |
| 144 | 0821302 | | Wiring, Spare,12V DC, USB-A & C, Kussmaul 091-264 Cab Batt Dir 1st NFPA1900/ULC<br>Qty, - 01<br>12vdc power from - Battery direct<br>Location - dr dash final location TBD | 1 |
| 145 | 0820894 | | NFPA 2024<br>Location, Wiring - Officer Dash<br>12vdc power from - Battery direct<br>Wire termination - 15 amp power point plug | 1 |

| Line | Option | Type | Option Description | Qty |
|---|---|---|---|---|
| 146 | 0821296 | | Wiring, Spare,12V DC, USB-A, USB-C AlfredDireck 1st NFPA1900/ULC | 1 |
| | | | Qty, - 01<br>12vdc power from - Battery switched<br>Location - officer dash and on the crew cab doghouse final location TBD | |
| 147 | 0821444 | | Wiring, Spare, 20 A 12V DC, 12 Circuit Fuse Block Blue Sea 5032 1st NFPA1900/ULC | 1 |
| | | | Qty, - 01<br>12vdc power from - Battery switched<br>Location - behind officer seat<br>12vdc power from 2 - c) ignition power | |
| 148 | 0814201 | | Vehicle Information Center, 7" Color Display, Touchscreen, MUX, CL714 | 1 |
| | | | System Of Measurement - US Customary | |
| 149 | 0734854 | | Collision Mitigation, Not Requested | 1 |
| 150 | 0606249 | | Vehicle Data Recorder w/CZ and Overhead Display Seat Belt Monitor | 1 |
| 151 | 0689156 | | Intercom, Sigtronics US-45D, 4-pos, 2 Dual-Radio, D,O,2C | 1 |
| | | | Location, Intercom, C Cab - 2) 2 forward facing seats | |
| 152 | 0009063 | | Not Required, Radio Interface | 1 |
| 153 | 0568105 | | Headset, Sigtronics, SE-8 Under Helmet, Flex Mic, Standard | 4 |
| | | | Qty, - 04<br>Location - TBD | |
| 154 | 0616382 | | Install Customer Provided GPS/Multimode Antenna(s) | 2 |
| | | | Qty, - 02 | |
| 155 | 0817058 | | Camera, Pierce, LS Mux, R Camera, SD, CL714 | 1 |
| | | | Camera System Audio - Not Provided | |
| 156 | 0814831 | | Not Required, Camera Switcher | 1 |
| 157 | 0890416 | | Pierce Command Zone, Advanced Electronics & Control System, Enforcer, WiFi CZT | 1 |
| | | | Color, Antenna - White Antenna<br>Module Housings - Black Housing with Power and Status Ind | |
| 158 | 0896456 | | Prognostics, Electrical System | 1 |
| 159 | 0624253 | | Multiplexed Electrical System | 1 |
| 160 | 0079166 | | Batteries, (4) Stryten/Exide Grp 31, 950 CCA ea, Threaded Stud | 1 |
| 161 | 0008621 | | Battery System, Single Start, All Custom Chassis | 1 |
| 162 | 0002698 | | Battery Compartment, Saber/Enforcer | 1 |
| 163 | 0812586 | | Charger, Sngl Sys, Kussmaul, Chief 091-266-12-60, 60 Amp | 1 |
| 164 | 0814869 | | Location, Cab, Charger, Behind Driver Seat | 1 |
| 165 | 0811943 | | Panel, Remote Control, Kussmaul, Chief 091-266-RCP | 1 |
| 166 | 0814939 | | Location, Cab, Ind/Remote, Driver's Seat Riser | 1 |
| 167 | 0811952 | | Not Required, Indicator/Remote Status | 1 |
| 168 | 0016857 | | Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super | 1 |
| | | | Qty, - 01<br>Color, Kussmaul Cover - b) red<br>Shoreline Connection - Battery Charger | |
| 169 | 0026800 | | Shoreline Location | 1 |
| | | | Location, Shoreline(s) - DS Step Well | |
| 170 | 0037495 | | Plate, Access, For Shoreline | 1 |
| 171 | 0647729 | | Alternator, 320 amp, Delco Remy 40SI | 1 |
| 172 | 0092582 | | Load Manager/Sequencer, MUX | 1 |
| | | | Enable/Disable Hi-Idle - e)High Idle enable | |
| 173 | 0815524 | | Headlights, Rect LED, HiViz FT-4X6-4KIT-DF, Heat. AXT/DCF/Enf/Imp/Sab/Vel | 1 |
| | | | Color, Headlight Housing and Trim - Headlight Housing and Trim to be Chrome | |
| 174 | 0625953 | | Light, Directional, Win 600 Cmb, Cab Cm, Wrp Bzl Out HD Lts, Enf/Sab | 1 |
| | | | Color, Lens, LED's - m)match LED's | |
| 175 | 0620054 | | Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts | 1 |
| 176 | 0736083 | | Lights, Clearance/Marker, Side, P25 LED 2 Lts, Others With Visor Lt | 1 |
| 177 | 0647929 | | Lights, Directional/Marker, Cab Front Side, Truck-Lite 19036YLED,AXT/EnfMUX/DCF | 1 |
| 178 | 0627282 | | Lights, Clearance/Marker/ID, Rear, FRP LED Bar & P25 LED 4Lts | 1 |
| 179 | 0804514 | | Lights, Tail, Win M62BTT* Red Stop/Tail & M62T* Amber Dir Arw For Hsg | 1 |
| | | | Color, Lens, LED's - Match<br>Flash Pattern, Directional Lts - Steady On (Arrow) | |
| 180 | 0806466 | | Lights, Backup, Win M62BU, LED, For Tail Lt Housing | 1 |

| Line | Option | Type | Option Description | Qty |
|---|---|---|---|---|
| 181 | 0889577 | | Bracket, License Plate & Light, P25 LED, Stainless Brkt | 1 |
| | | | Color, Trim - Chrome Housing | |
| 182 | 0556842 | | Bezels, Wln, (2) M6 Chrome Pierce, For mtg (4) Wln M6 lights | 1 |
| 183 | 0589905 | | Alarm, Back-up Warning, PRECO 1040 | 1 |
| 184 | 0817254 | | Lights, Perimeter Cab, Amdor AY-LB-12HW0** LED 4Dr | 1 |
| 185 | 0769557 | | Lights, Perimeter Pump House, Amdor AY-LB-12HW0** LED 4lts | 1 |
| 186 | 0770056 | | Lights, Perimeter Body, Amdor AY-LB-12HW020 LED 2lts, Rear Step | 1 |
| | | | Control, Perimeter Lts - Parking Brake Applied | |
| 187 | 0896454 | | Enhanced Software for Perimeter Lts | 1 |
| 188 | 0556360 | | Lights, Step, P25 LED 4lts, Pump Pnl Sw | 1 |
| 189 | 0671515 | | Light, Step, Additional, Wln 0AC0EDCR White LED, 45 Deg Chrome Bzl | 2 |
| | | | Qty, Lights - 02 | |
| | | | Location, Lights - over rear step below hose bed to match drawing | |
| 190 | 0774373 | | Lights, Side Scene, Wln PEL*C LED 1st, Cntrl Fet | 2 |
| | | | Location, Lights - over the rear wheel on the left and right sides of the body | |
| | | | Qty, - 02 | |
| | | | Control, Scene Lts - Directional Light - Respective | |
| 191 | 0775585 | | Light, Visor, HiViz, FT-B-72-ML-*, Cnt Feature MUX | 1 |
| | | | Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS | |
| | | | Color, Lt Housing HiViz - Black | |
| 192 | 0725342 | | Lights, HiViz FT-MB-21-*-* 27.33", 1st | 1 |
| | | | Location - mounted above the crew cab door on the driver side just above the rain drip rail just before the round | |
| | | | Qty, - 01 | |
| | | | Control, Scene Lts - Cab Sw Panel DS, Cab Sw Panel PS and Pump Pnl Top Mnt | |
| | | | Color, Lt Housing HiViz - Black | |
| | | | Scene Light Optics - combination | |
| 193 | 0725341 | | Lights, HiViz FT-MB-21-*-* 27.33", 2nd | 1 |
| | | | Location - mounted above the crew cab door on the officer side just above the rain drip rail just before the round | |
| | | | Qty, - 01 | |
| | | | Control, Scene Lts - Cab Sw Panel DS, Cab Sw Panel PS and Pump Pnl Top Mnt | |
| | | | Color, Lt Housing HiViz - Black | |
| | | | Scene Light Optics - combination | |
| 194 | 0761636 | | Lights, HiViz FT-MB-27-*-* 34.89", 1st | 1 |
| | | | Location - centered on the driver side body all the way out to the edge | |
| | | | Qty, - 01 | |
| | | | Control, Scene Lts - DS Scene Lts | |
| | | | Color, Lt Housing HiViz - Black | |
| | | | Scene Light Optics - combination | |
| 195 | 0828287 | | Lights, Wln, M6ZC Gradient, 12 VDC, 1st | 2 |
| | | | Location - on the rear of the body up high one each side | |
| | | | Qty, - 02 | |
| | | | Control, Scene Lts - Cab Sw Panel DS, Cab Sw Panel PS and Pump Pnl Top Mnt | |
| | | | Color, Trim - Chrome Trim | |
| 196 | 0761635 | | Lights, HiViz FT-MB-27-*-* 34.89", 2nd | 1 |
| | | | Location - centered on the officer side body all the way out to the edge | |
| | | | Qty, - 01 | |
| | | | Control, Scene Lts - PS Scene Lts | |
| | | | Color, Lt Housing HiViz - Black | |
| | | | Scene Light Optics - combination | |
| 197 | 0645877 | | Lights, Hose Bed, Sides, Dual LED Light Strips | 1 |
| | | | Control, Hose Bed Lts - Cup Switch At Rear | |
| 198 | 0645677 | | Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body | 1 |
| 199 | 0709438 | | Lights, Walk Surf, FRP Flood, LED | 1 |
| 200 | 0060121 | | Long Stainless Steel 2nd Gen Pumper | 1 |
| 201 | 0554271 | | Body Skirt Height, 20" | 1 |
| 202 | 0013897 | | 750 Gallon New York Style Water Tank | 1 |
| 203 | 0003405 | | Overflow, 4.00" Water Tank, Poly | 1 |
| 204 | 0028104 | | Foam Cell Required | 1 |

| Line | Option | Type | Option Description | Qty |
|---|---|---|---|---|
| 205 | 0553725 | | Restraint, Water Tank, Heavy Duty, Special Type Tank, 4x4, or Export | 1 |
| 206 | 0003429 | | Not Required, Direct Tank Fill | 1 |
| 207 | 0003424 | | Not Required, Dump Valve | 1 |
| 208 | 0048710 | | Not Required, Jet Assist | 1 |
| 209 | 0030007 | | Not Required, Dump Valve Chute | 1 |
| 210 | 0514778 | | Not Required, Switch, Tank Dump Master | 1 |
| 211 | 0556227 | | Hose Bed, Stainless Steel, Pumper, New York Style - Fill in Blank Height | 1 |
| | | | Fill in Blank - as low as possible | |
| | | | Material Trim/Scuffplate - b) S/S, Brushed | |
| 212 | 0723549 | | Painted Hose Bed | 1 |
| | | | Paint Color, Hose Bed Interior - Match Lower Body | |
| 213 | 0003481 | | Hose Bed Capacity, Special | 1 |
| | | | Capacity, Hose Bed - 200' of 2.5" / 600' of 2.5" with 100' of 1.75" ontop in a horse shoe / 800' of 4" | |
| 214 | 0003488 | | Divider, Hose Bed, Unpainted | 2 |
| | | | Qty, Hose Bed Dividers - 2 | |
| 215 | 0807329 | | Hose Restraint, Hose Bed, Vinyl, Top | 1 |
| | | | Color, Vinyl Cover - a) red | |
| | | | Fastener, Top Restraint, Front - StayPut Shock Cord Loop Pull Tabs | |
| | | | Fastener, Top Restraint, Sides - StayPut Shock Cord Loop Pull Tab | |
| 216 | 0807338 | | Hose Restraint, Hose Bed, Vinyl, Rear | 1 |
| | | | Vinyl Flap Weight - Not Weighted | |
| | | | Fastener, Rear Restraint, Bottom - StayPut Shock Cord Loop Pull Tab | |
| 217 | 0089471 | | Cutout, Handhold, in Hose Bed Divider | 2 |
| | | | Qty, - 02 | |
| 218 | 0013512 | | Running Boards, 12.75" Deep | 1 |
| 219 | 0689499 | | Tailboard, 12" Deep, Full Width, Extended Substructure | 1 |
| 220 | 0815881 | | Wall, Rear, Smooth Aluminum/Body Material, Flush Rear Wall | 1 |
| 221 | 0889214 | | Tow Eyes, w/Tow Bar, 2G Pumper | 1 |
| 222 | 0590926 | | Hose Restraint, Running Board, Velcro Straps | 1 |
| | | | Location, Hose Tray, Running Board - Left Side | |
| | | | Qty, Tray, Hose - 1 | |
| 223 | 0003634 | | Tray, Hose, Running Board, 25' of 5.00", Soft Suction Hose | 1 |
| | | | Location, Hose Tray, Running Board - b) LH Side | |
| | | | Qty, Tray, Hose - 1 | |
| 224 | 0895815 | | Construction, Compt, S/S, 2G Pumper | 1 |
| 225 | 0594011 | | 171" Rollup FH/FD Front & Rear | 1 |
| 226 | 0594008 | | RS 171" Rollup, Full Height & Depth Front & Rear | 1 |
| 227 | 0796649 | | Doors, Rollup, ROM Series IV, Side Compartments | 6 |
| | | | Qty, Door Accessory - 06 | |
| | | | Color, Roll-up Door - ROM Series IV Satin Finish | |
| | | | Latch, Roll-up Door - Non-Locking Liftbar | |
| 228 | 0013671 | | 30.75" FF Rollup Rear Compt | 1 |
| 229 | 0791760 | | Door, ROM Series IV, Rollup, Rear Compartment | 1 |
| | | | Color, Roll-up Door - ROM Series IV Satin Finish | |
| | | | Latch, Roll-up Door - Non-Locking Liftbar | |
| 230 | 0584381 | SP | No Body Modification Required, Air Suspension, Approval Required | 1 |
| 231 | 0625184 | | Guard, Drip Pan, S/S, Rollup Door, Pumper | 7 |
| | | | Qty, Door Accessory - 07 | |
| | | | Location, Door Guard/Drip Pan - LS1, LS2, LS3, RS1, RS2, RS3 and B1 | |
| 232 | 0723942 | | Elastic Pull Strap for Rollup Doors | 6 |
| | | | Qty, Door Accessory - 06 | |
| | | | Location, Door Accessory - LS1, LS2, LS3, RS1, RS2, and RS3 | |
| | | | Color, Strap - Red | |
| 233 | 0616670 | | Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker | 7 |
| | | | Qty, - 07 | |
| | | | Location, Compartment Lights - All Body Compts | |
| 234 | 0739915 | | Hatch, (2) Liftup, Pumper | 1 |
| | | | Location, Hatch Compt - Left Side | |
| | | | Qty, Hatch Compt - 1 | |
| | | | Trim, Body/Hatch Compt Seam, Horizontal - Molding | |
| | | | Hatch Compt, Width - 28" | |
| | | | Latch, Hatch Compt - Lever Latch | |

| Line | Option | Type | Option Description | Qty |
|---|---|---|---|---|
| 234 | | | Matting, Floor, Hatch Compt - Rubber Matting | |
| 235 | 0730092 | | Not Required | 1 |
| 236 | 0733219 | | Lights, Hatch Compt, 42", LED, Light Strips, 2-Sides 4 Dr | 1 |
| 237 | 0687146 | | Shelf Tracks, Painted | 7 |
| | | | Qty, Shelf Track - 07 | |
| | | | Location, Shelf Track - LS1, LS2, LS3, RS1, RS2, RS3 and B1 | |
| 238 | 0004050 | | Cover, Alum Treadplate, Fender Panels | 1 |
| 239 | 0004016 | | Rub Rail, Aluminum Extruded, Side of Body | 1 |
| 240 | 0784811 | | Fender Crowns, Rear, Stainless, w/Removable Liner | 1 |
| | | | Material Finish, Fender Liner - Painted Aluminum Lower Body | |
| 241 | 0004069 | | Hose, Hard Suction, 6.0", 10.0', Clear Corrugated | 2 |
| | | | Qty, Hard Suction Hose - 2 | |
| 242 | 0612959 | | Trough, HSH, (2), Compartment Top Mount, Angle Bracket | 1 |
| | | | Location, Hose Trough/Compartment - a) left side | |
| | | | Trough, Material - Alum - Painted (2) | |
| | | | Trough, Latch Type - velcro | |
| 243 | 0014713 | | Troughs, HSH, (2), Side of Hydraulic Ladder Rack 2000 | 1 |
| | | | Fill in Blank - 10' | |
| 244 | 0625546 | | Handrails, Top Mount Pump Panel, Per Print | 1 |
| 245 | 0004126 | | Handrails, Beavertail, Standard | 1 |
| 246 | 0082756 | | Handrail, Rear, Below Hose Bed | 1 |
| 247 | 0636301 | | Compt, Extinguisher (2) Fender Panel, Triangular Door, 8" Dia | 1 |
| | | | Qty, - 01 | |
| | | | Door Finish, Fender Compt - Polished | |
| | | | Location, Fender Compt - Double - RS Rear | |
| | | | Latch, Air Bottle Compt - Southco C2 Chrome Raised | |
| | | | Insert, Air Bottle Compt - Rubber Matting Glued | |
| 248 | 0648325 | | Compt, Air Bottle, Double, Tri Door, Fender Panel | 1 |
| | | | Qty, Air Bottle Comp - 1 | |
| | | | Door Finish, Fender Compt - Polished | |
| | | | Location, Fender Compt - Double - LS Rear - Fuel Combo | |
| | | | Latch, Air Bottle Compt - Southco C2 Chrome Raised | |
| | | | Insert, Air Bottle Compt - Rubber Matting Glued | |
| 249 | 0657522 | | Compt, Air Bottle, Triple, Fender Panel | 2 |
| | | | Qty, Air Bottle Comp - 2 | |
| | | | Door Finish, Fender Compt - Polished | |
| | | | Location, Fender Compt - Triple - LS Fwd and Triple - RS Fwd | |
| | | | Latch, Air Bottle Compt - Southco C2 Chrome Raised | |
| | | | Insert, Air Bottle Compt - Rubber Matting Glued | |
| 250 | 0004225 | | Ladder, 24' Duo-Safety 900A 2-Section | 1 |
| 251 | 0004230 | | Ladder, 14' Duo-Safety 775A Roof | 1 |
| 252 | 0015036 | | Hydraulic Ladder Rack RS Air Clamps | 1 |
| | | | Ladder Rack Lock Enclosure/Light Mounting Bracket - RS Rear S/S Enclosure | |
| | | | Location, Hydraulic Ladder Rack Controls - Pump Panel | |
| 253 | 0756375 | | Lights, Hyd Lad Rack Deployed, Truck-Lite 15**** | 1 |
| | | | Color, Light - Amber Flashing | |
| | | | Color, Lens, LED's - Clear | |
| | | | Trim, T-L 15 - Chrome | |
| 254 | 0733387 | | Ladder, 10' Duo-Safety Folding 585A | 1 |
| 255 | 0761307 | | Mounting Clips, Folding Ladder, Hydraulic Ladder Rack | 1 |
| | | | Location, Folding Ladder Storage - Hydraulic Rack - Inboard | |
| 256 | 0708759 | | Ladder, Little Giant, Defender - Model 17, 15187-882 | 1 |
| | | | Location - TBD | |
| 257 | 0816920 | | Pike Pole, Provided by Fire Department, NFPA/ULC 2024 | 2 |
| | | | Qty, - 02 | |
| | | | Pike Pole Make/Model - Akron 10' Pike Pole | |
| 258 | 0760176 | | Tube, Pike Pole 8' or Longer, Hydraulic Ladder Rack Inboard | 2 |
| | | | Qty, Pike Poles - 2 | |
| | | | Material/Finish, Tube, Pike Pole - Painted Aluminum | |
| | | | Width, Notch, Pike Pole Tube - .75", Standard Notch | |
| 259 | 0549137 | | Not Required, Pike Pole, 6' | 1 |
| 260 | 0733065 | | Not Required | 1 |

| Line | Option | Type | Option Description | Qty |
|---|---|---|---|---|
| 261 | 0591804 | | Step, Folding, Front of Body, Left Side, Trident | 1 |
| | | | Coating, Step - black | |
| 262 | 0592994 | | Steps, Folding, Rear of Body, w/LED, Trident | 1 |
| | | | Coating, Step - black | |
| 263 | 0019940 | | Step, Special Width, Rear Of Body, 8.00" | 1 |
| 264 | 0018610 | | 42" Control Zone Top Mount | 1 |
| | | | Light, Walkway Compt - P25 LED | |
| | | | Light, Walkway - P25 LED, 6lts | |
| | | | Location, Walkway Lights - Back Of Custom Cab | |
| 265 | 0045500 | | Raise Pump House Structure, Top Control | 1 |
| 266 | 0664143 | | Pump, Hale, QMAX-XS-150, 1500 GPM, Single Stage | 1 |
| 267 | 0014481 | | Seal, Graphite Packing Glands, Hale | 1 |
| 268 | 0014477 | | Trans, Pump, Hale, Gear | 1 |
| 269 | 0635600 | | Pumping Mode, Stationary Only | 1 |
| 270 | 0604308 | | Pump Shift, Air w/o Manual Override, Split Shaft, Interlocked, Hale | 1 |
| 271 | 0003148 | | Transmission Lock-up, EVS | 1 |
| 272 | 0004547 | | Auxiliary Cooling System | 1 |
| 273 | 0014486 | | Not Required, Transfer Valve, Single Stage Pump | 1 |
| 274 | 0746501 | | Valve, Relief Intake, Elkhart | 1 |
| | | | Qty - 1 | |
| | | | Pressure Setting - 125 psig | |
| | | | Intake Relief Valve Control - Behind Right Side Pump Panel | |
| 275 | 0826104 | | Controller, Pressure, FRC, Pump Boss Max, PBA500 | 1 |
| | | | Pressure Governor Throttle Control - Clockwise | |
| | | | Pressure Governor Default Mode - RPM Setting | |
| | | | Pressure Governor Std/Metric - Standard psi readouts | |
| | | | Pressure Governor Transducer - Single 600 PSI | |
| | | | Pressure Governor Alarm - NOT BE an additional alarm provided | |
| 276 | 0672564 | | Primer, Trident, Air Prime, Air Operated,w/ (1) Addl Priming Valve, Automatic | 1 |
| | | | Inlet Extra Primer - front | |
| 277 | 0780364 | | Manuals, Pump, (2) Total, Electronic Copies | 1 |
| 278 | 0602512 | | Plumbing, Stainless Steel and Hose, Single Stage Pump, Control Zone | 1 |
| 279 | 0795135 | | Plumbing, Stainless Steel, w/Foam System | 1 |
| 280 | 0004645 | | Inlets, 6.00" - 1250 GPM or Larger Pump | 1 |
| 281 | 0014650 | | Pump Suction Tube(s), Short, All | 1 |
| 282 | 0004646 | | Cap, Main Pump Inlet, Long Handle, NST, VLH | 1 |
| 283 | 0084610 | | Valves, Akron 8000 series- All | 1 |
| 284 | 0004687 | | Valve, Inlet(s) Recess,Top Mount | 1 |
| 285 | 0004710 | | Control, Inlet, at Top Mount Panel | 1 |
| | | | Qty, Inlets - 1 | |
| 286 | 0004660 | | Inlet (1), Left Side, 2.50" | 1 |
| 287 | 0029147 | | Not Required, Inlet, Right Side | 1 |
| 288 | 0505132 | | Anode, Zinc, Pair, Pump, One (1) on Inlet Side & One (1) on Discharge Side | 1 |
| 289 | 0897257 | | Inlet, 4" to 6" Front, 5" Plumbing, w/Bleeder Valve, Top of Bumper | 1 |
| | | | Inlet, Size - Six | |
| | | | Drain, Suction - T Swing Handle | |
| | | | Inlet, Front, Valve - Bray 5.00" | |
| | | | Inlet, Front, Plumbing - Black Iron Pipe | |
| 290 | 0767502 | | Control, Front Inlet, Akron 9333 Elec Controller | 1 |
| 291 | 0737987 | | Valve, Relief Intake, Front Inlet, TFT | 1 |
| | | | Pressure Setting - 125 psig | |
| 292 | 0732444 | | Swivel, Front Inlet, 4.00" to 6.00", w/Drain | 1 |
| | | | Inlet, Size - 6.00" inlet | |
| | | | Inlet Bleeder - Quarter-Turn Style Bleeder | |
| | | | Finish, Front Inlet Elbow/Adapter - Chrome | |
| 293 | 0004788 | | Cap, Front Inlet, Long Handle, VLH | 1 |
| 294 | 0092569 | | No Rear Inlet (Large Dia) Requested | 1 |
| 295 | 0064116 | | No Rear Inlet Actuation Required | 1 |
| 296 | 0092696 | | Not Required, Cap, Rear Inlet | 1 |
| 297 | 0009648 | | No Rear Intake Relief Valve Required on Rear Inlet | 1 |
| 298 | 0092568 | | No Rear Auxiliary Inlet Requested | 1 |
| 299 | 0723049 | | Valve, .75" Bleeder, Aux. Side Inlet, "T" Swing Handle | 1 |

| Line | Option | Type | Option Description | Qty |
|---|---|---|---|---|
| 300 | 0029043 | | Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing | 1 |
| 301 | 0004910 | | Outlet, Tank Fill, 2" | 1 |
| 302 | 0820189 | | Control, Outlets, Manual, Pierce HW if applicable | 1 |
| 303 | 0004940 | | Outlet, Left Side, 2.50" | 1 |
| | | | Qty, Discharges - 01 | |
| 304 | 0005091 | | Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 305 | 0092570 | | Not Required, Outlets, Left Side Additional | 1 |
| 306 | 0035094 | | Not Required, Elbow, Left Side Outlets, Additional | 1 |
| 307 | 0004945 | | Outlet, Right Side, 2.50" | 1 |
| | | | Qty, Discharges - 01 | |
| 308 | 0025091 | | Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 309 | 0092571 | | Not Required, Outlets, Right Side Additional | 1 |
| 310 | 0089584 | | Not Required, Elbow, Right Side Outlets, Additional | 1 |
| 311 | 0816625 | | Outlet, Large Diameter, Right Side, Akron Valve | 1 |
| | | | Outlet, Large Diameter, Plumbing - 4.00" | |
| | | | Outlet, Large Diameter, NST Adapter - 4.00" MNST | |
| | | | Outlet, Large Diameter, Valve Actuation - Pierce large handwheel | |
| 312 | 0005097 | | Elbow, Large Dia Outlet, 30 Deg, 4.00" FNST x 5.00" Storz | 1 |
| | | | Qty, - 01 | |
| 313 | 0649939 | | Outlet, Front, 1.50" w/2" Plumbing | 1 |
| | | | Fitting, Outlet - 1.50" NST with 90 degree swivel | |
| | | | Drain, Front Outlet - Automatic | |
| | | | Location, Front, Single - in center bumper tray | |
| 314 | 0004995 | | Outlet, Rear, 2.50" | 2 |
| | | | Qty, Discharges - 02 | |
| | | | Location, Outlet - c) one (1) each side | |
| 315 | 0045091 | | Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 316 | 0092574 | | Not Required, Outlet, Rear, Additional | 1 |
| 317 | 0085695 | | Not Required, Elbow, Rear Outlets, Large, Additional | 1 |
| 318 | 0092573 | | Not Required, Outlet, Hose Bed/Running Board Tray | 1 |
| 319 | 0752097 | | Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain | 1 |
| 320 | 0723042 | | Valve, 0.75" Bleeder, Discharges, "T" Swing Handle | 1 |
| 321 | 0820311 | | Outlet, 3.00" Deluge w/TFT Extend-a-Gun XG18 | 1 |
| 322 | 0097410 | | Monitor, Akron 3426, No Ground Base | 1 |
| 323 | 0092488 | | Nozzle, Akron 2420 & 3488, Shaper and Triple Stacked Deluge Tips | 1 |
| 324 | 0005070 | | Deluge Mount, NPT | 1 |
| 325 | 0723726 | | Speedlay Module Not Required | 1 |
| 326 | 0722432 | | Hose Restraint Not Required, No Speedlay Module | 1 |
| 327 | 0723395 | | Speedlays, Not Required | 1 |
| 328 | 0723394 | | Speedlays, Not Required | 1 |
| 329 | 0025140 | | No Crosslays | 1 |
| 330 | 0029196 | | No Crosslay | 1 |
| 331 | 0500535 | | Not Required, Hose Restraint, Crosslay | 1 |
| 332 | 0732142 | SP | Speed, (2) 1.5" (1) 2.5" w/Poly Tray,Lower, Top/Side Cntrl, Vert Swivel,Std Cap. | 1 |
| 333 | 0752410 | | Hose Restr, Spdly, Vinyl, Bottom Anchored | 1 |
| | | | Color, Vinyl Cover - a) red | |
| | | | Fastener, Hose Restraint - Bungee Cord & Hook w/ Pull Tab | |
| 334 | 0624939 | | Husky 3 Single Agent | 1 |
| | | | Discharge, Foam Locations - Front Bumper Center, Rear Outlet Left Side, Rear Outlet Right Side, Speedlay Lower, Speedlay Center and Speedlay Upper | |
| 335 | 0012126 | | Not Required, CAF Compressor | 1 |
| 336 | 0592527 | | Refill, Foam Tank, Integral, Husky 3 | 1 |
| 337 | 0031896 | | Demonstration, Foam System, Dealer Provided | 1 |
| 338 | 0022539 | | Foam Cell, 20 Gallon, Reduce Water | 1 |
| | | | Type of Foam - Class "A" | |
| 339 | 0697589 | | Drain, 1.00", Foam Tank #1, Husky 3 Foam System, Quarter Turn | 1 |
| 340 | 0091079 | | Not Required, Foam Tank #2 | 1 |
| 341 | 0091112 | | Not Required, Foam Tank #2 Drain | 1 |
| 342 | 0738072 | | Approval Dwg, Pump Panel(s), Not Required | 1 |
| 343 | 0032479 | | Pump Panel Configuration, Control Zone | 1 |
| 344 | 0005545 | | Material, Pump Panels, Top Control Brushed Stainless, Side Brushed Stainless | 1 |

| Line | Option | Type | Option Description | Qty |
|---|---|---|---|---|
| 345 | 0896632 | | Panel, Pump Access - Both Sides, Top Mount | 1 |
| | | | Latch, Pump Panel Access, Top Mount - Swell Latch, Black | |
| 346 | 0583824 | | Light, Pump Compt, Wln 3SC0CDCR LED White | 1 |
| | | | Qty, - 01 | |
| 347 | 0586382 | | Gauges, Engine, Included With Pressure Controller | 1 |
| 348 | 0005601 | | Throttle, Engine, Incl'd w/Press Controller | 1 |
| 349 | 0739224 | | Indicator Light @ Pump Panel, Throttle Ready, Incl w/Pressure Gov/Throttle,Green | 1 |
| 350 | 0549333 | | Indicators, Engine, Included with Pressure Controller | 1 |
| 351 | 0745568 | | Indicator Light, Pump Panel, Ok To Pump, Green | 1 |
| 352 | 0553643 | | Control, Air Horn at Pmp Pnl, Red Switch, Momentary | 1 |
| 353 | 0511078 | | Gauges, 4.00" Master, Class 1, 30"-0-600psi | 1 |
| 354 | 0511100 | | Gauge, 2.00" Pressure, Class 1, 30"-0-400psi | 1 |
| 355 | 0062586 | | Gauge, Water Level, Class 1, Pierce Std | 1 |
| 356 | 0062992 | | Gauge, Foam Level, (1) Tank, Class 1, GAAAR 5lt | 1 |
| 357 | 0648885 | | Light Shield, Top Mt, LED Strip Lights | 1 |
| 358 | 0606694 | | Air Horns, (2) Hadley, 6" Round, eTone, In Bumper | 1 |
| 359 | 0606834 | | Location, Air Horns, Bumper, Each Side, Outside Frame, Inboard (Pos #2 & #6) | 1 |
| 360 | 0757092 | | Control, Air Horn, Multi Select | 1 |
| 361 | 0757084 | | Control, Air Horn, Horn Ring | 1 |
| 362 | 0757077 | | Control, Air Horn, Lanyard, LS | 1 |
| | | | Lanyard - Nylon Rope | |
| 363 | 0757076 | | Control, Air Horn, Lanyard, RS | 1 |
| | | | Lanyard - Nylon Rope | |
| 364 | 0525667 | | Siren, Wln 295SLSA1, 100 or 200 Watt | 1 |
| 365 | 0510206 | | Location, Elect Siren, Recessed Overhead In Console | 1 |
| | | | Location, Elec Siren - Overhead, DS Center Sw Pnl | |
| 366 | 0076156 | | Control, Elec Siren, Head Only | 1 |
| 367 | 0601306 | | Speaker, (1) Wln, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt | 1 |
| | | | Connection, Speaker - siren head | |
| 368 | 0601565 | | Location, Speaker, Frt Bumper, Recessed, Center (Pos 4) | 1 |
| 369 | 0895310 | | Siren, Federal Q2B | 1 |
| | | | Finish, Q2B Siren - Chrome | |
| 370 | 0006095 | | Siren, Mechanical, Mounted Above Deckplate | 1 |
| | | | Location, Siren, Mech - a) Left | |
| 371 | 0748305 | | Control, Mech Siren, Multi Select | 1 |
| 372 | 0748280 | | Control Mech Siren, Horn Ring | 1 |
| 373 | 0731979 | | Control Mech Siren, Push Button Sw, Chrome, RS | 1 |
| 374 | 0740391 | | Sw, Siren Brake, Momentary Chrome Push Button, RS | 1 |
| 375 | 0812193 | | Bracket, Wedge Style for Foot Switch, Each, Qty Ft | 2 |
| | | | Location - one for the Q2B foot switch on driver side and one for the air horn footswitch on the officer side | |
| | | | Qty, - 02 | |
| 376 | 0746353 | | Not Required, Warning Lights Intensity | 1 |
| 377 | 0606775 | | Lightbar, Wln, Freedom IV-Q, 72", RRWRRR____RRRWRR | 1 |
| | | | Filter, Whl Freedom Ltbrs - No Filters | |
| 378 | 0691599 | | Light, GTT, 792* Strobe Opticom Emitter, Remote Mtd on Cab Roof | 1 |
| | | | Location - on cab roof above driver | |
| | | | Opticom Priority - b) High | |
| | | | Opticom Activation - Cab Switch & E-Master | |
| | | | Momentary Opticom Activation - no activation | |
| 379 | 0793318 | | Lightbars, Wln, Freedom IV, 2-21.5", RWRW WRWR | 1 |
| | | | Lightbar Location, Cab/Crew Cab - cc)over the crew cab doors | |
| | | | Filter, Whl Freedom Ltbrs - No Filters | |
| 380 | 0734071 | | Lights, Front Zone, Wln M6** M6** M6** M6** LED, Q Bzl, 4lts | 1 |
| | | | Color, Lens, LED's - Clear | |
| | | | Color, Lt DS Frnt Outside - Left Red | |
| | | | Color, Lt PS Frnt Outside - Right Red | |
| | | | Color, Lt DS Front Inside - Left Red | |
| | | | Color, Lt PS Front Inside - Right Red | |
| | | | Color, Q Bezel and Trim - Polished Chrome | |
| 381 | 0757440 | | Light, Front, Roto Ray 4000W, PAR46 LED, 2-R, 1-W, Hidden Mt Top Section Grl | 1 |
| 382 | 0653937 | | Flasher, Headlight Alternating | 1 |
| | | | Headlt flash deactivation - a)w/high beam | |

| Line | Option | Type | Option Description | Qty |
|---|---|---|---|---|
| 383 | 0540692 | | Side Zone Lower Lights, Whelen M6 | 1 |
| | | | Location, Lights Front Side - b)each side bumper | |
| | | | Color, Lt Side Front - Red | |
| | | | Color, Lt Side Middle - Red | |
| | | | Color, Lt Side Rear - Red | |
| | | | Location, Lights Mid Side - Rearward of Crew Cab Doors | |
| | | | Location, Lights Rear Side - Over Rear Wheels | |
| 384 | 0895913 | | Lights, Door Interior Flash, 4 Dr Cab, Wln 50*03Z*R, TIR6 | 1 |
| | | | Color, Lens, LEDs - Match | |
| | | | Color, Trim - Chrome Trim | |
| | | | Control, Door Int Flash - None (Doors only) | |
| | | | Location, Light, Door Int Flash - Low and Outside | |
| | | | Color, Lt Cab Left - Red Flashing | |
| | | | Color, Lt Cab Right - Red Flashing | |
| | | | Color, Lt Crew Cab Left - Red Flashing | |
| | | | Color, Lt Crew Cab Right - Red Flashing | |
| 385 | 0815847 | | Connectors, Door Interior Flash, All Cabs, Weatherproof | 1 |
| 386 | 0760752 | | Lights, Side, Wln WIONSM* LED, Mtd In Rub Rail, 1st | 6 |
| | | | Location, Lights - three on each side of the body in the rub rail, two rear of rear wheel and 1 forward | |
| | | | Qty, - 06 | |
| | | | Color, Lights, Warning - gla) red | |
| | | | Control, Light - b) side warning | |
| | | | Color, Lt Housing - Chrome | |
| 387 | 0564655 | | Lights, Rear Zn Lwr, Wln M6*C LED, Clear Lens, For Tail Lt Housing | 1 |
| | | | Color, Lt DS Rear - r) DS Rear Lt Red | |
| | | | Color, Lt PS Rear - r) PS Rear Lt Red | |
| 388 | 0006700 | | Mtg, Lights, Recess In Rear Bulkhead (pair) | 1 |
| | | | Location - rear zone upper | |
| | | | Qty, Lights, Pair - 1 | |
| 389 | 0743720 | | Lights, Rear/Side Up Zone, Wln M6** LED 4lts | 1 |
| | | | Color, Lens, LED's - Clear | |
| | | | Color, Lt, Side Rear Upper DS - Red | |
| | | | Color, Lt, Side Rear Upper PS - Red | |
| | | | Color, Lt, Rear Upper DS - Amber | |
| | | | Color, Lt, Rear Upper PS - Amber | |
| | | | Color, Trim - Chrome Trim | |
| 390 | 0006551 | | Not Required, Lights, Rear Upper Zone Blocking | 1 |
| 391 | 0006615 | | Mtg, Rear Warn Lts, Compt Top | 1 |
| 392 | 0791528 | | Light, Traffic Directing, Wln TAL65, 36.00" Long, TACTL5 | 1 |
| | | | Activation, Traffic Dir L - Not Connected | |
| 393 | 0529908 | | Location, TDL, Over Hose Bed, Cross Tube (Included), Treadplate Box | 1 |
| 394 | 0530282 | | Location, Traf Dir Lt Controller, Overhead Switch Panel DS Right End | 1 |
| 395 | 0781579 | | Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab | 1 |
| | | | Qty, - 01 | |
| | | | Location 1 - in cab final location TBD | |
| | | | AC Power Source - Shoreline | |
| | | | Cover, Receptacle - Interior SS Wall Plate(s) | |
| 396 | 0519934 | | Not Required, Brand, Hydraulic Tool System | 1 |
| 397 | 0649753 | | Not Required, PTO Driven Hydraulic Tool System | 1 |
| 398 | 0007150 | | Bag of Nuts and Bolts | 1 |
| | | | Qty, Bag Nuts and Bolts - 1 | |
| 399 | 0816508 | | NFPA Required Loose Equipment, Pumper, NFPA/ULC 2024, Provided by Fire Dept | 1 |
| 400 | 0816941 | | Soft Suction Hose, Provided by Fire Department, NFPA/ULC 2024 | 1 |
| 401 | 0821565 | | Strainer, Provided by Fire Department, Pumper NFPA/ULC 2024 Classification | 1 |
| 402 | 0816939 | | Extinguisher, Dry Chemical, NFPA 2024, Provided by Fire Department | 1 |
| 403 | 0816937 | | Extinguisher, 2.5 Gal. Pressurized Water, NFPA/ULC 2024, Provided by Fire Dept | 1 |
| 404 | 0816998 | | Axe, Flathead, Provided by Fire Department | 1 |
| 405 | 0817000 | | Axe, Pickhead, Provided by Fire Department | 1 |
| 406 | 0741569 | | Paint Process / Environmental Requirements, Appleton | 1 |
| 407 | 0709566 | | Paint, Two-Tone Color, Enforcer | 1 |
| | | | Paint Color, Upper Area, Predefined - #10 White | |
| | | | Shield, Cab - No Shield | |
| | | | Paint Color, Lower Area, Predefined - #90 Red | |

| Line | Option | Type | Option Description | Qty |
|---|---|---|---|---|
| 407 | | | Paint Break, Cab - Standard Two-Tone Cab Break | |
| 408 | 0709845 | | Single Color Body Paint | 1 |
| | | | Paint, Body - Match Lower Cab | |
| 409 | 0636524 | | Coating, Chassis Frame Assy, With Liner, Hot Dip Galvanized | 1 |
| | | | Paint Color, Frame Assembly, Predefined - Gloss Black | |
| 410 | 0693797 | | No Paint Required, Aluminum Front Wheels | 1 |
| 411 | 0693792 | | No Paint Required, Aluminum Rear Wheels | 1 |
| 412 | 0733739 | | Paint, Axle Hubs | 1 |
| | | | Paint, Axle Hub - Black #101 | |
| 413 | 0007230 | | Compartment, Painted, Spatter Gray | 1 |
| 414 | 0544087 | | Reflective Band, 6" | 1 |
| | | | Color, Reflect Band - A - a) white | |
| 415 | 0007356 | | Reflective across Cab Face | 1 |
| 416 | 0536954 | | Stripe, Chevron, Rear, Diamond Grade, Pumper | 1 |
| | | | Color, Rear Chevron DG - fluorescent yellow green | |
| 417 | 0552453 | | Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior, Diamond Grade | 1 |
| | | | Color, Reflect Band - A - p) fluorescent yellow green diamond grade | |
| | | | Size, Chevron Striping - 06 | |
| | | | Color, Reflect Chev - A - r) red diamond grade | |
| 418 | 0679794 | | Stripe, Reflective, Two-Tone Paint Break with Shield, IPO Chrome Molding | 1 |
| 419 | 0027286 | | Not Required, Lettering Specs | 1 |
| 420 | 0007472 | | [Lettering not Requested] | 1 |
| 421 | 0599008 | | Rust Proof/Undercoat, Custom Chassis | 1 |
| | | | Color, Undercoating - Black | |
| 422 | 0772003 | | Manual, Fire Apparatus Parts, USB Flash Drive, Custom | 1 |
| | | | Qty, - 01 | |
| 423 | 0772037 | | Manual, Chassis Service, USB Flash Drive, Custom | 1 |
| | | | Qty, - 01 | |
| 424 | 0773381 | | Manual, Chassis Operation, (1) USB Flash Drive, Custom | 1 |
| 425 | 0030008 | | Warranty, Basic, 1 Year, Apparatus, WA0008 | 1 |
| 426 | 0735523 | | Warranty, Engine, Paccar MX13, 5 Year, WA0386 | 1 |
| 427 | 0684952 | | Warranty, Steering Gear, TRW Ross TAS, 1 Year WA0202 | 1 |
| 428 | 0596017 | | Warranty, Frame, 50 Year, Custom Chassis, WA0013 | 1 |
| 429 | 0733309 | | Warranty, Axle, 5 Year, Meritor, General Service, WA0384 | 1 |
| 430 | 0733306 | | Warranty, Single Axle, 5 Year, Meritor, General Service, WA0384 | 1 |
| 431 | 0652758 | | Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232 | 1 |
| 432 | 0019914 | | Warranty, Structure, 10 Year, Custom Cab, WA0012 | 1 |
| 433 | 0744240 | | Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055 | 1 |
| 434 | 0524627 | | Warranty, Electronics, 5 Year, MUX, WA0014 | 1 |
| 435 | 0695416 | | Warranty, Pierce Camera System, WA0188 | 1 |
| 436 | 0647720 | | Warranty, Pierce LED Strip Lights, WA0203 | 1 |
| 437 | 0046369 | | Warranty, 5-year EVS Transmission, Standard Custom, WA0187 | 1 |
| 438 | 0685945 | | Warranty, Transmission Cooler, WA0216 | 1 |
| 439 | 0688798 | | Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195 | 1 |
| 440 | 0596025 | | Warranty, Structure, 10 Year, Body, WA0009 | 1 |
| 441 | 0681118 | | Warranty, ROM, Roll-up Door, 7 Year, WA0206 | 1 |
| 442 | 0892410 | | Warranty, Pump, Hale, 5 Year Parts, 2 Year Labor, WA0388 | 1 |
| 443 | 0648675 | | Warranty, 10 Year S/S Pumbing, WA0035 | 1 |
| 444 | 0657990 | | Warranty, Foam System, Husky 3, WA0231 | 1 |
| 445 | 0595547 | | Warranty, Paint, 12 Year, S/S Body, Pro-Rate, WA0058 | 1 |
| 446 | 0593921 | | Not Required, Warranty, No Lettering | 1 |
| 447 | 0819254 | | Certification, Vehicle Stability, CD0196 | 1 |
| 448 | 0808565 | | Certification, Engine Installation, Enf, Paccar MX, 2027 | 1 |
| 449 | 0686786 | | Certification, Power Steering, CD0098 | 1 |
| 450 | 0892691 | | Certification, Cab Integrity, Saber FR/Enforcer, CD0189 | 1 |
| 451 | 0631973 | | Certification, Cab Door Durability, Saber FR/Enforcer, CD0137 | 1 |
| 452 | 0631978 | | Certification, Windshield Wiper Durability, Saber FR/Enforcer, CD0132 | 1 |
| 453 | 0556828 | | Certification, Electric Window, Not Available | 1 |
| 454 | 0631977 | | Certification, Seat Belt Anchors and Mounting, Saber FR/Enforcer, CD0134 | 1 |
| 455 | 0735949 | | Certification, Cab HVAC System Performance, SFR/Enf, CD0165/CD0167/CD0174/CD0175 | 1 |
| 456 | 0545073 | | Amp Draw Report, NFPA Current Edition | 1 |

| Line | Option | Type | Option Description | Qty |
|---|---|---|---|---|
| 457 | 0002758 | | Amp Draw, NFPA/ULC Radio Allowance | 1 |
| 458 | 0799248 | | Appleton/Florida BTO | 1 |
| 459 | 0000018 | | PUMPER, 2ND GEN | 1 |
| 460 | 0000012 | | PIERCE CHASSIS | 1 |
| 461 | 0735525 | | PACCAR MX13 ENGINE | 1 |
| 462 | 0046396 | | EVS 4000 Series TRANSMISSION | 1 |
| 463 | 0020012 | | HALE PUMP | 1 |
| 464 | 0020009 | | POLY TANK | 1 |
| 465 | 0028048 | | FOAM SYSTEM | 1 |
| 466 | 0020005 | | TOP MOUNT | 1 |
| 467 | 0020007 | | AKRON VALVES | 1 |
| 468 | 0020014 | | FRONT SUCTION | 1 |
| 469 | 0020015 | | ABS SYSTEM | 1 |
| 470 | 0658751 | | PUMPER BASE | 1 |

**EXHIBIT C - PROPOSAL**

**SEE PROPOSAL FOR Bid Number 1216 Dated June 5, 2025.**