

131 W. Station Street – Contributing



2004-2005 Survey Photo



updated 8/14/2012

ARC 11-07 – reconstruct front porch and replace siding on front façade

Located at 131 Station Street is a two-story gable front (with rear addition) Craftsman dwelling built ca. 1920. The house has a roof of asphalt shingles, a continuous rock-faced concrete block foundation, an interior metal flue and an exterior of narrow weatherboard siding on the main façade and wide replacement weatherboard siding on the other three elevations. On the main (N) elevation is a full-width, shed roof porch with square wood columns and a closed railing with an exterior of weatherboard siding. The main entrance has a ca. 2000, glass and wood panel door. Windows are original, six-over-six double hung wood sash. In the gable field on the main façade are wood shingles and a fixed, single-light attic window. Two of the windows on the second story of this elevation are single-light rectangular wood and glass windows. On the east elevation is a large, single-light, fixed picture window flanked by six-over-six double hung wood sash windows. In the gable field on the west elevation is an octagonal window. At the rear elevation of the dwelling is a two-story frame addition constructed in the late 20th century. The addition is not readily visible from street and does not detract from its historic character.

To the rear is an original single-bay, frame garage remodeled ca. 1990 with an addition on its west façade. **Noncontributing**

135 W. Station Street – Contributing



This is a two-story, frame, gable front Folk dwelling built ca. 1900. The house has a roof of asphalt shingles, an interior brick chimney, an exterior of vinyl siding and a continuous foundation of concrete block. On the main (N) and east elevations is a wraparound, hipped roof porch supported with square wood posts. The porch railing has been enclosed with vinyl siding and the original weatherboard wall is visible on the porch interior. The main entrance has an original, single-light glass and wood door with an exterior wood panel door with an exchangeable, six-light panel or screen-panel section. The entrance is flanked by original, three-light glass and wood sidelights, and has an original, four-light transom. A secondary entrance leading to the porch retains its original, single-light glass and wood door. Windows in the dwelling are original, one-over-one double hung wood sash. On the rear façade is an original, single-story gable roof wing.

Located off the southwest corner of the dwelling is a ca. 1915 frame storage shed.
Noncontributing

137 W. Station Street – Contributing



ARC 10-11 – front porch alterations

This frame Folk Victorian dwelling was originally built in a gable front plan ca. 1910. The house has been extensively altered with late 20th century modifications including a rebuilt porch, new windows, an altered main entrance and the addition of large dormers across the width of the east and west rooflines.

To the rear of the house is a detached garage. **Noncontributing**

142 W. Station Street – Noncontributing



At 142 W. Station Street is a two-story asymmetrical Folk Victorian dwelling built ca. 1890. The house was extensively altered in 1996 with the addition of a new imitation wood shingle exterior, a new, single-story, gable roof entry porch and ca. 1996, six-over-one double hung wood sash windows and new main entrance.

145 W. Station Street – Contributing



This is a one- and one-half-story rectangular Craftsman dwelling built ca. 1930. The dwelling has a hipped asphalt shingle roof, a stucco-covered exterior and foundation and an interior brick chimney. On the main (N) elevation, the dwelling has an incised corner entry porch with a large, square corner wood column. The main entrance retains its original, eight-light and two-wood panel glass and wood Craftsman-style door. On the main façade is an original sunroom with a set of five, one-over-one double hung wood sash windows. Windows throughout the dwelling are replacement, one-over-one double hung vinyl sash design. At the roofline on the main (N), east and west elevations are hipped roof dormers, each with a large, three-light, fixed glass and wood window.



148 W. Station Street – Contributing



ARC 02-16 – construct front porch and new detached garage

This is a two-story, frame, gable front Folk dwelling built ca. 1915. The dwelling has a continuous brick foundation, a roof of wood shingles and an exterior of weatherboard siding. On the main (S) façade is a one-story, full-width, shed roof porch with ca. 1980, square Doric-motif wood columns and a square wood baluster railing. The main entrance has a ca. 1980, nine-light glass and wood panel door. Windows are ca. 1980, three-over-one-vertical-light double hung wood sash with wood frame cornices. On the west façade is a hipped roof wall dormer with paired, three-over-one-vertical-light double hung wood sash windows.

Off the northeast corner of the dwelling is a ca. 2000 frame garage. **Noncontributing**

200 W. Station Street – Contributing



Located at 200 W. Station Street is a two-story, frame, gable front Folk dwelling built ca. 1910. The dwelling has a continuous poured concrete foundation, a roof of asphalt shingles, an interior brick chimney and an exterior of aluminum siding. On the main (S) façade is a full-width, shed roof porch with original milled columns and a ca. 1980, wrought iron railing. The main façade has two primary entrances with ca. 1980, multi-light glass and wood doors. Windows are original, rectangular, one-over-one double hung wood sash with some replacement, ca. 1980, one-over-one, double hung vinyl sash designs. In the gable field is a ca. 1980, multi-light window with a fanlight transom. On the east façade is a bay window with an added copper roof and one-over-one double hung vinyl clad windows. At the rear is an original single-story wing attached to a two-story frame addition with a lateral wing constructed ca. 1980 with vinyl siding, a multi-light glass and vinyl door secondary entrance, a side gable roof in the lateral wing and a continuous concrete block foundation.

201 W. Station Street – Contributing



Located at 201 W. Station Street is the James Creet House. This side-gabled Colonial Revival dwelling was originally more likely a Folk house, built prior to 1853 and moved to the southwest corner of Cook and Station Streets around 1857. The building was moved to its present location in 1917 and was remodeled into its present Colonial Revival form ca. 1940. The original partial-width porch on the main façade has been removed and replaced with a small gabled enclosed entry bay. The house has a gable asphalt shingle roof, a continuous rock-faced concrete block foundation, a ca. 1940, interior brick chimney and an exterior of masonite siding. On the main (N) elevation is a ca. 1940, enclosed gable roof entry bay with a ca. 1940, wood panel door beneath a four-light transom. On the east and west elevations of the entry bay are circular, nine-light sectioned wood windows. The first floor of the main façade has a large bay window with a central, thirty-six light glass and wood window flanked by four-over-four double hung wood sash windows and a wood base. The other windows in the dwelling are eight-over-eight double hung wood sash and date to the 1940s. On the rear of the dwelling is an original, single-story, frame wing.

On the east elevation of the dwelling is a one-story attached garage built ca. 1940. It has a flat roof, an exterior of masonite siding and a six-light and eighteen-wood panel glass and wood overhead track garage door on the north elevation.

202 W. Station Street – Contributing



Located at 202 W. Station Street is a one-and one-half-story brick rectangular Craftsman dwelling built ca. 1930. The house has a poured concrete foundation, a hipped roof of asphalt shingles, an interior brick chimney and an exterior of stretcher bond brick veneer. On the main (S) façade is an original sun porch with the main entrance having an original, multi-light glass and wood door. Windows in the sun porch and overall are original, three-over-one-vertical-light double hung wood sash with concrete sills. At the roofline of the north, west and east facades are hipped roof dormers with paired, three-over-one-vertical-light wood sash windows. On the east façade is an entrance with an original, single-light glass and wood door.

At the rear of the dwelling is an original, hipped roof garage. The building has an exterior of brick veneer, a hipped roof of asphalt shingles and an original, hinged three-light paneled wood garage doors. At the roofline on the main (S) elevation is a hipped dormer with a triple set of single-light fixed windows. **Contributing**



205 W. Station Street – Noncontributing



This is a gable front Colonial Revival-influenced dwelling built ca. 1945. The dwelling is one-story in height and of frame construction. It has a gable front roof of asphalt shingles, an exterior of aluminum siding, an exterior brick chimney and a continuous foundation of concrete. The main entrance is located on the main (N) elevation and has an original, wood panel door with a fanlight. The entrance is set in a simple wood frame with a keystone. The main façade also has a central, hipped roof, tri-part bay window with a six-over-nine double hung wood sash window flanked by four-over-six double hung wood sash. Above this in the gable field is an eight-light circular attic window. Also on the main façade is a ca. 1970, eight-over-twelve double hung wood sash window that appears to have replaced a large original window or door at this location. On the west elevation, the dwelling has a gable roof dormer with three, two-over-three double hung wood sash windows. Also on this elevation are ca, 1980, sliding glass doors. On the east elevation is an original, four-over-four double hung wood sash window.



To the rear of the dwelling is an original, one-bay, frame garage with front gable roof of asphalt shingles, an exterior of aluminum siding and ca. 1970 metal panel overhead track garage door. **Noncontributing**

207 W. Station Street – Contributing



ARC 05-10 – demolish existing detached garage and construct a new detached garage

This is a two- and one-half-story, frame rectangular American Foursquare dwelling built ca. 1896 with a hipped roof of asphalt shingles, an exterior brick chimney, a continuous foundation of rock-faced concrete block and an exterior of weatherboard siding on the first floor and wood shingles on the upper facade. On the main elevation is a one-story, partial-width, hipped roof porch with square wood columns. The columns rest on a solid frame wall with an exterior of wood shingles. The porch was added ca. 1920 and later enclosed ca. 1957 with four-light, aluminum hopper windows. The main entrance leads to the enclosed porch and retains its original, single-light glass and wood door. Windows on the dwelling are original, one-over-one double hung wood sash. On the main façade is a large, single-light window beneath a single-light rectangular transom with a wood surround. At the roofline of the main (N) façade is a gable roof wall dormer with a square, single-light attic window and an exterior of decorative weatherboarding with a sawtooth pattern.

To the rear is a dilapidated ca. 1925, one-bay, frame garage with an gable front roof of asphalt shingles, a weatherboard exterior and hinged double vertical board doors with cross braces. **Noncontributing**



208 W. Station Street – Noncontributing



This is a one- and one-half story side-gabled Colonial Revival style dwelling built ca. 1940. The house has a gable roof of asphalt shingles, an exterior wall brick chimney, a continuous poured concrete foundation and an exterior of vinyl siding. On the main (S) façade, the entrance retains its original, six-wood panel door and a broken pediment wood surround with Doric pilasters. Windows are original, rectangular, six-over-six double hung wood sash with wood shutters triangular wood lintels. At the roofline are two gable roof dormers with six-over-six double hung wood sash windows and an exterior of vinyl siding. On the east façade is an original, single-story wing with paired, single-light glass and wood doors. On the west façade is an attached, single-bay garage with a flat roof and an original wood panel overhead track garage door.

214 W. Station Street – Contributing



Located at 214 W. Station Street is a two-story, frame, gabled ell Folk dwelling built ca. 1890. The house has a continuous stone foundation, a gable and hipped roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. On the main (S) façade is full-width porch enclosed ca. 1955 with one-over-one double hung wood sash windows and ca. 1980, storm door to create a sun porch. The main entrance from the sun porch into the dwelling has a ca. 1910, single-light and two wood panel glass and wood door. Windows are original rectangular, one-over-one double hung wood sash with wood frame cornices. The projecting gable on the east façade has vergeboard at the eaves. On the east façade is a ca. 1955, one-story mudroom addition with an original, glass and wood door.

217 W. Station Street – Contributing



This is a two-story rectangular American Foursquare style dwelling built ca. 1920. The house has a hipped roof of asphalt shingles, a concrete foundation, an exterior brick chimney and an exterior of synthetic siding. The house has a ca. 1960, shed roof porch on the main (N) elevation with Tuscan columns and a simple gable pediment over the entrance. The porch extends east of the dwelling and on this façade the porch has been enclosed with aluminum and screen panels. The enclosed section of the porch has a concrete block foundation while the open section has a stone foundation. The main entrance has a ca. 1990, nine-light glass and wood door. The Windows are both original, one-over-one double hung wood sash and some replacement one-over-one double hung vinyl sash. In front of the dwelling at the sidewalk is a stone retaining wall with brick piers.

To the rear of the dwelling is a frame garage built ca. 1970. **Noncontributing**



218 W. Station Street – Contributing



Located at 218 W. Station Street is a two-story, gable front Craftsman dwelling built ca. 1900. The house has a concrete and stucco covered foundation, a front gable roof of asphalt shingles, an interior brick chimney and an exterior of vinyl siding. On the main (S) facade is a ca. 1960, two-story, shed roof sun porch with a hipped roof of asphalt shingles, an exterior of vinyl siding, a ca. 1970, single-light glass and wood door exterior door and original, three-over-one and four-over-one vertical-light double hung wood sash windows on the lower façade and replacement eight-over-eight and six-over-six double hung wood sash on the upper facade. The entrance from the sun porch into the dwelling has a ca. 1980, glass and wood door. Windows in the dwelling are original, three-over-one and four-over-one vertical-light double hung wood sash. On the east façade are two entrances; the south entrance has an original, single-light glass and wood door and the north entrance has an original, eight-light and wood panel glass and wood Craftsman-style door. The north entrance has a shed roof entry porch with ca. 1970, wood posts and railing. At the eaves on the main façade are knee brace brackets.

At the rear of the dwelling are two frame garages built ca. 1970. **Noncontributing**



221 W. Station Street – Noncontributing



This is a two-story side-gabled dwelling built ca. 1950 with a gambrel roof of asphalt shingles, an exterior brick chimney, a continuous poured concrete foundation and an exterior of asbestos shingle siding. On the main (N) elevation, the dwelling has two, inset gable roof wall dormers at the roofline. In the center of the main façade is the large exterior brick chimney. Windows are original, three-over-one-vertical-light double hung wood sash. A secondary entrance is located on the west elevation and retains its original, single-light glass and wood door. The dwelling has a large, ca. 1962, one-story, lateral, gable roof addition on the east elevation which replaced its original main entry porch. This addition has an exterior of vertical board siding and a band of three, single-light rectangular fixed-light, aluminum windows. The main entrance is located in this wing on its north elevation and has a ca. 1980, fanlight and wood panel door within a recessed entry.

The dwelling was originally built in a moderate Dutch Colonial Revival-style but with the addition of asbestos shingle siding, the loss of the original entrance and the large lateral addition, the alterations have compromised its integrity and is therefore Noncontributing to the historic district.

To the rear of the dwelling is a ca. 2000 frame garage. **Noncontributing**



228-230 W. Station Street – Contributing



This is a two-story rectangular American Foursquare dwelling built ca. 1920. The house has a continuous foundation of rock-faced concrete block, a hipped roof of asphalt shingles, an interior brick chimney and an exterior of vinyl siding. On the main (S) façade is a ca. 1990, gable roof entry porch with round metal posts and a wood railing. The main entrance retains its original, three-vertical-light and two-wood panel door. Windows are original, four-over-one and three-over-one-vertical-light double hung wood sash. At the roofline of the main façade is a hipped roof dormer with paired, four-light casement windows. On the east façade is an entrance which retains its original, three-vertical light and two-wood panel door. This entrance also has a ca. 1990, shed roof entry porch with metals columns and a wood railing.

To the rear of the dwelling is a ca. 1990, frame garage. **Noncontributing**

234 W. Station Street – Noncontributing



Located at 234 W. Station Street is a one-story side-gabled Colonial Revival-style dwelling built ca. 1945. The house has a continuous poured concrete foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of aluminum siding. On the main (S) façade is a gable roof entry porch with original, square wood posts, an arched opening and a square wood baluster railing. The main entrance retains its original glass and wood door. Windows are original, rectangular, six-over-six double hung wood sash. On the main façade is a hipped roof bay window with a three-over-nine central window with a wood panel transom flanked by two-over-three double hung wood sash windows. On the west façade is an original lateral wing.

At the rear is a ca. 1970 front gable roof frame garage. **Noncontributing**

237 W. Station Street – Contributing



ARC 06-04 – second story addition and expansion of existing detached garage

This is a two-story modified gabled ell Folk dwelling built ca. 1910. The house has a roof of asphalt shingles, a weatherboard exterior and a continuous stone foundation covered with concrete and stucco. On the main (N) elevation is a partial-width porch with an arched wood opening and square wood columns. Two entrances lead from the porch to house. One has a nine-light glass and wood door and the other a single-light glass and wood door. Windows in the dwelling are three-over-one-vertical-light double hung wood sash. On the main façade in the projecting gable bay is a sixteen-light picture window. First floor windows have simple wood cornices and all windows on the main façade have wood louvered shutters. In the gable field on the main façade is a rectangular louvered attic vent. On the dwelling's east elevation is a small shed roof side porch that is identical to the front porch.

Adjacent to the dwelling is a ca. 1980, frame garage with an exterior of weatherboard siding, a side gable roof of asphalt shingles and a ca. 1980, multi-metal panel overhead track garage door. **Noncontributing**



242 W. Station Street – Contributing



Located at 242 W. Station Street is a gable front Folk dwelling which appears to have been built as a servant's quarters or guest house for the dwelling at 119 Dundee Avenue. The dwelling is one-story in height and was constructed ca. 1930. It has a continuous poured concrete foundation, a roof of asphalt shingles and an exterior of weatherboard siding. The main entrance on the south façade has an original, four-panel wood door. Windows are original, four-over-one-vertical-light double hung wood sash. At the eaves are exposed roof rafters and knee brace brackets.